Form PTO-1449 U.S. Department of Commerce (REV. 2-82) Patent and Trademark Office	Atty. Docket No. 186599/US/2 – 475387-00153	Serial No. 10/016,244
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)	Applicant(s) Guillermo J. Tearney	
	Filing Date October 30, 2001	Group 3737

U.S. PATENT DOCUMENTS

*Exam. Init.		Document No.	Date	Name	Class	Subclass	Filing Date if Appropriate
RSS		6 5 5 8 3 2 4	May 6, 2003	Von Behren et al. **			
RSS		5 9 4 9 9 2 9	September 7,	Hamm **			
RSS		6 3 5 3 6 9 3	March 5, 2002	Kano et al. **			
RSS		5 0 3 9 1 9 3	August 13, 1991	Snow et al. **			

FOREIGN PATENT DOCUMENT

		Document No.	Date	Country	Class	SubClass	Translator Yes	Translator No
RSS		0 2 3 6 0 1 5	May 10, 2002	WIPO **				

** References cited in International Search Report

OTHER DOCUMENTS (including Author, Title Date, Pertinent Pages, Etc.)

RSS			D. Fu et al., "Non-invasive quantitative reconstruction of tissue elasticity using an iterative forward approach", Phys. Med. Biol. 2000 (45): 1495-1509. **
RSS			S.B. Adams Jr. et al., "The use of polarization sensitive optical coherence tomography and elastography to assess connective tissue", Optical Soc. of American Washington 2002, Page 3 **
RSS			International Search Report for International Patent application No. PCT/US2005/039740.
RSS			International Written Opinion for International Patent application No. PCT/US2005/039740.
RSS			International Search Report for International Patent application No. PCT/US2005/030294.

4814-2482-4832\1

Examiner	Date Considered
/Ruth S. Smith/	06/12/2006

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce (REV. 2-82) Patent and Trademark Office	Atty. Docket No. 186599/US/2 – 475387-00153	Serial No. 10/016,244
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)	Applicant(s) Guillermo J. Tearney et al.	
	Filing Date October 30, 2001	Group 3737

U.S. PATENT DOCUMENTS

*Exam. Init.		Document No.	Date	Name	Class	Subclass	Filing Date if Appropriate
RSS		2 3 3 9 7 5 4	January 25, 1944	P.H. Brace			
		4 6 0 1 0 3 6	July 15, 1986	Faxvog et al			
		4 6 3 1 4 9 8	December 23, 1986	Cutler			
		4 8 6 8 8 3 4	September 19, 1989	Fox et al			
		4 9 2 5 3 0 2	May 15, 1990	Cutler			
		4 9 6 5 4 4 1	October 23, 1990	Picard			
		4 9 9 3 8 3 4	February 19, 1991	Carlhoff et al			
		5 0 4 0 8 8 9	August 20, 1991	Keane			
		5 0 4 6 5 0 1	September 10, 1991	Crilly			
		5 1 2 0 9 5 3	June 9, 1992	Harris			
		5 1 9 7 4 7 0	March 30, 1993	Helfer et al			
		5 2 9 3 8 7 2	March 15, 1994	Alfano et al			
		5 3 1 7 3 8 9	May 31, 1994	Hochberg et al			
		5 3 2 1 5 0 1	June 14, 1994	Swanson et al			
		5 3 5 3 7 9 0	October 11, 1994	Jacques et al			
		5 3 8 3 4 6 7	January 24, 1995	Auer et al			
		5 4 1 9 3 2 3	May 30, 1995	Kittrell et al			
		5 4 3 9 0 0 0	August 8, 1995	Gunderson et al			
		5 4 4 1 0 5 3	August 15, 1995	Lodder et al			
		5 4 5 9 5 7 0	October 17, 1995	Swanson et al			
		5 4 6 5 1 4 7	November 7, 1995	Swanson			
		5 4 8 6 7 0 1	January 23, 1996	Norton et al			
		5 4 9 1 5 5 2	February 13, 1996	Kittrell			
RSS		5 5 6 2 1 0 0	October 8, 1996	Kittrell et al			

Examiner	Date Considered
/Ruth S. Smith/	06/13/2006

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce (REV. 2-82) Patent and Trademark Office	Atty. Docket No.	Serial No.
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)	186599/US/2 – 475387-00153	10/016,244
	Applicant(s) Guillermo J. Tearney et al.	
	Filing Date October 30, 2001	Group 3737

RSS		5	5	8	3	3	4	2	December 10, 1996	Koji Ichie				
		5	5	9	0	6	6	0	January 7, 1997	MacAulay et al				
		5	6	0	1	0	8	7	February 11, 1997	Richards-Kortum et al				
		5	6	9	7	3	7	3	December 16, 1997	Gunderson et al				
		5	7	1	9	3	9	9	February 17, 1998	Alfano et al				
		5	7	4	8	5	9	8	May 5, 1998	Swanson et al				
		5	7	8	4	3	5	2	July 21, 1998	Swanson et al.				
		5	7	9	5	2	9	5	August 18, 1998	Hellmuth et al				
		5	8	0	3	0	8	2	September 8, 1998	Stapleton et al				
		5	8	4	0	0	2	3	November 24, 1998	Oraevsky et al				
		5	8	4	2	9	9	5	December 1, 1998	Mahadevan-Jansen et al				
		5	8	6	5	7	5	4	February 2, 1999	Sevick-Muraca et al				
		5	8	7	1	4	4	9	February 16, 1999	David Lloyd Brown				
		5	9	2	1	9	2	6	July 13, 1999	Rolland et al				
		5	9	5	6	3	5	5	September 21, 1999	Swanson et al				
		5	9	6	8	0	6	4	October 19, 1999	Selmon et al				
		5	9	8	7	3	4	6	November 16, 1999	Benaron et al				
		5	9	9	4	6	9	0	November 30, 1999	Kulkarni et al				
		6	0	0	2	4	8	0	December 14, 1999	Izatt et al				
		6	0	0	6	1	2	8	December 21, 1999	Izatt et al				
		6	0	1	0	4	4	9	January 4, 2000	Selmon et al				
		6	0	3	3	7	2	1	March 7, 2000	Nikos Nassuphis				
		6	0	4	4	2	8	8	March 28, 2000	Wake et al				
		6	0	4	8	7	4	2	April 11, 2000	Weyburne et al				
		6	0	6	9	6	9	8	May 30, 2000	Ozawa et al				
		6	0	9	1	9	8	4	July 18, 2000	Perelman et al				
RSS		6	1	1	1	6	4	5	August 29, 2000	Tearney et al				

Examiner

Date Considered 06/13/2006

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce (REV. 2-82) Patent and Trademark Office	Atty. Docket No.	Serial No.
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)	186599/US/2 – 475387-00153	10/016,244
	Applicant(s) Guillermo J. Tearney et al.	
	Filing Date October 30, 2001	Group 3737

	RSS	6	1	1	7	1	2	8	September 12, 2000	Kenton W. Gregory			
		6	1	2	0	5	1	6	September 19, 2000	Selmon et al			
		6	1	3	4	0	0	3	October 17, 2000	Tearney et al			
		6	1	4	1	5	7	7	October 31, 2000	Rolland et al			
		6	1	5	1	5	2	2	November 21, 2000	Alfano et al			
		6	1	5	9	4	4	5	December 12, 2000	Klaveness et al			
		6	1	6	0	8	2	6	December 12, 2000	Swanson et al			
		6	1	6	1	0	3	1	December 12, 2000	Hochmann et al			
		6	1	7	5	6	6	9	January 16, 2001	Colston et al			
		6	1	8	5	2	7	1	February 6, 2001	Richard Estyn Kinsinger			
		6	1	9	1	8	6	2	February 20, 2001	Swanson et al			
		6	2	0	1	9	8	9	March 13, 2001	Whitehead et al.			
		6	2	0	8	8	8	7	March 27, 2001	Richard H. Clarke			
		6	2	8	2	0	1	1	August 28, 2001	Tearney et al			
		6	3	4	1	0	3	6	January 22, 2002	Tearney et al			
		6	3	7	7	3	4	9	April 23, 2002	Adolf Friedrich Fercher			
		6	4	2	1	1	6	4	July 16, 2002	Tearney et al			
		6	4	8	5	4	1	3	November 26, 2002	Boppart et al			
		6	4	8	5	4	8	2	November 26, 2002	W. Martin Belef			
		6	5	0	1	5	5	1	December 31, 2002	Tearney et al			
		6	5	5	2	7	9	6	April 22, 2003	Magnin et al			
		6	5	6	4	0	8	7	May 13, 2003	Pitris et al			
		6	6	2	2	7	3	2	September 23, 2003	Brent R. Constantz			
		6	6	8	5	8	8	5	February 3, 2004	Nolte et al.			
		6	6	8	7	0	0	7	February 3, 2004	Meigs			
	RSS	6	8	0	6	9	6	3	October 19, 2004	Wälti et al.			

Examiner	Date Considered
	06/13/2006

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce (REV. 2-82) Patent and Trademark Office	Atty. Docket No.	Serial No.
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)	186599/US/2 – 475387-00153	10/016,244
	Applicant(s) Guillermo J. Tearney et al.	
	Filing Date October 30, 2001	Group 3737

RSS	2002	0	1	6	1	3	5	7	October 31, 2002	Rox et al.			
	2002	0	1	6	3	6	2	2	November 7, 2002	Magnin et al.			
	2003	0	0	2	3	1	5	3	January 30, 2003	Izatt et al			
	2003	0	2	3	6	4	4	3	December 25, 2003	Cespedes et al			
	2003	0	0	2	6	7	3	5	February 6, 2003	Nolte et al.			
	2004	0	1	6	6	5	9	3	August 26, 2004	Nolte et al.			
		5	7	1	0	6	3	0	January 20, 1998	Essenpreis et al.			
		5	8	0	7	2	6	1	September 15, 1998	Benaron et al.			
		5	9	5	1	4	8	2	September 14, 1999	Winston et al.			
		5	9	8	3	1	2	5	November 9, 1999	Alfano et al.			
		6	1	3	4	0	1	0	October 17, 2000	Zavislan			
		6	1	9	3	6	7	6	February 27, 2001	Winston et al.			
		6	3	0	8	0	9	2	October 23, 2001	Hoyns			
		6	3	9	3	3	1	2	May 21, 2002	Hoyns			
		6	3	9	4	9	6	4	May 28, 2002	Sievert, Jr. et al.			
		6	4	4	5	9	4	4	September 3, 2002	Ostrovsky			
		6	4	6	3	3	1	3	October 8, 2002	Winston et al.			
		5	9	2	0	3	9	0	July 6, 1999	Farahi et al.			
		4	9	2	8	0	0	5	May 22, 1990	Lefèvre et al.			
		5	2	0	2	7	4	5	April 13, 1993	Sorin et al.			
		5	5	6	5	9	8	6	October 15, 1996	Knüttel			
		5	8	4	7	8	2	7	December 8, 1998	Fercher			
		5	8	7	7	8	5	6	March 2, 1999	Fercher			
		5	9	2	0	3	7	3	July 6, 1999	Bille			
		5	9	9	1	6	9	7	November 23, 1999	Nelson et al.			
		6	2	0	8	4	1	5	March 27, 2001	De Boer et al.			
		6	5	4	9	8	0	1	April 15, 2003	Chen et al.			
RSS	2002	0	1	9	6	4	4	6	December 26, 2002	Roth et al.			

Examiner	Date Considered
	06/13/2006

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce (REV. 2-82) Patent and Trademark Office	Atty. Docket No.	Serial No.
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)	186599/US/2 – 475387-00153	10/016,244
	Applicant(s) Guillermo J. Tearney et al.	
	Filing Date October 30, 2001	Group 3737

RSS	2002	0	1	9	8	4	5	7	December 26, 2002	Tearney et al.				
		5	4	9	1	5	2	4	February 13, 1996	Hellmuth et al.				
		6	6	8	0	7	8	0	January 20, 2004	Fee				
	2003	0	1	3	5	1	0	1	July 17, 2003	Webler				
		5	6	2	3	3	3	6	April 22, 1997	Raab et al.				
		5	2	6	2	6	4	4	November 16, 1993	Maguire				
		6	9	8	0	2	9	9	December 27, 2005	de Boer				
		6	1	6	6	3	7	3	December 26, 2000	Mao				
		6	4	6	9	8	4	6	October 22, 2002	Ebizuka et al.				
		5	1	2	7	7	3	0	July 7, 1992	Brelje et al.				
		5	2	4	8	8	7	6	September 28, 1993	Kerstens et al.				
		5	3	0	4	8	1	0	April 19, 1994	Amos				
		5	4	5	0	2	0	3	September 12, 1995	Penkethman				
		5	4	5	9	3	2	5	October 17, 1995	Hueton et al.				
		5	5	2	6	3	3	8	June 11, 1996	Hasman et al.				
		5	6	0	0	4	8	6	February 4, 1997	Gal et al.				
		5	6	9	8	3	9	7	December 16, 1997	Zarling et al.				
		5	7	8	5	6	5	1	July 28, 1998	Kuhn et al.				
RSS		5	8	8	7	0	0	9	March 23, 1999	Mandella et al.				

FOREIGN PATENT DOCUMENT

		Document No.							Date	Country	Class	SubClass	Translator Yes	Translator No
RSS		4	3	0	9	0	5	6	September 22, 1994	Germany				
		2	2	0	9	2	2	1	May 4, 1989	Great Britain				
		0	1	1	0	2	0	1	June 13, 1984	European				
		0	2	5	1	0	6	2	January 7, 1988	European				
RSS		9	2	1	9	9	3	0	November 12, 1992	WIPO				

Examiner | Date Considered 06/13/2006

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce (REV. 2-82) Patent and Trademark Office	Atty. Docket No. 186599/US/2 – 475387-00153	Serial No. 10/016,244
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)	Applicant(s) Guillermo J. Tearney et al.	
	Filing Date October 30, 2001	Group 3737

RSS		9	3	0	3	6	7	2	March 4, 1993	WIPO					
		9	7	3	2	1	8	2	September 4, 1997	WIPO					
		9	8	3	5	2	0	3	August 13, 1998	WIPO					
		9	9	4	4	0	8	9	September 2, 1999	WIPO					
		9	9	5	7	5	0	7	November 11, 1999	WIPO					
		0	0	5	8	7	6	6	October 5, 2000	WIPO					
		0	1	4	2	7	3	5	June 14, 2001	WIPO					
		0	2	5	4	0	2	7	July 11, 2002	WIPO					
	0	3	0	2	0	1	1	9	March 13, 2003	WIPO					
		0	1	3	8	8	2	0	May 31, 2001	WIPO*					
RSS	0	4	1	0	5	5	9	8	December 9, 2004	WIPO					

* U.S. equivalent is provided.

OTHER DOCUMENTS (including Author, Title Date, Pertinent Pages, Etc.)

RSS			Fujimoto et al., "High Resolution in Vivo Intra-Arterial Imaging with Optical Coherence Tomography," Official Journal of the British Cardiac Society, Vol. 82, pages 128-133 Heart, 1999
			D. Huang et al., "Optical Coherence Tomography," SCIENCE, Vol. 254, pages 1178-1181, November 1991
			Tearney et al., "High-Speed Phase –and Group Delay Scanning with a Grating Based Phase Control Delay Line," Optics Letters, Vol. 22, Pages 1811-1813, December 1997
			Rollins, et al., "In Vivo Video Rate Optical Coherence Tomography," Optics Express, Vol. 3, pages 219-229, September 1998
			Saxer, et al., High Speed Fiber-Based Polarization-Sensitive Optical Coherence Tomography of in Vivo Human Skin," Optical Society of America, Vol. 25, pages 1355-1357, September 2000
RSS			Oscar Eduardo Martinez, "3000 Times Grating Compress or with Positive Group Velocity Dispersion," IEEE, Vol. QE-23, pages 59-64, January 1987

Examiner	Date Considered
	06/13/2006

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce (REV. 2-82) Patent and Trademark Office	Atty. Docket No.	Serial No.
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)	186599/US/2 – 475387-00153	10/016,244
	Applicant(s) Guillermo J. Tearney et al.	
	Filing Date October 30, 2001	Group 3737

RSS			Kulkarni, et al., "Image Enhancement in Optical Coherence Tomography Using Deconvolution," Electronics Letters, Vol. 33, pages 1365-1367, July 1997
			Bashkansky, et al., "Signal Processing for Improving Field Cross-Correlation Function in Optical Coherence Tomography," Optics & Photonics News, Vol. 9, pages 8137-8138, May 1998
			Yung et al., "Phase-Domain Processing of Optical Coherence Tomography Images," Journal of Biomedical Optics, Vol. 4, pages 125-136, January 1999
			Tearney, et al., "In Vivo Endoscopic Optical Biopsy with Optical Coherence Tomography," SCIENCE, Vol. 276, June 1997
			W. Drexler et al., "In Vivo Ultrahigh-Resolution Optical Coherence Tomography," Optics Letters Vol. 24, pp. 1221-3, September 1999
			Nicusor V. Iftimia et al., "A Portable, Low Coherence Interferometry Based Instrument for Fine Needle Aspiration Biopsy Guidance," Accepted to Review of Scientific Instruments, 2005
			Abbas, G.L., V.W.S. Chan et al., "Local-Oscillator Excess-Noise Suppression for Homodyne and Heterodyne-Detection," Optics Letters, Vol. 8, pages 419-421, August 1983 issue
			Agrawal, G.P., "Population Pulsations and Nondegenerate 4-Wave Mixing in Semiconductor-Lasers and Amplifiers," Journal Of The Optical Society Of America B-Optical Physics, Vol. 5, pages 147-159, January 1998
			Andretzky, P. et al., "Optical Coherence Tomography by Spectral Radar: Improvement of Signal-to-Noise Ratio," The International Society for Optical Engineering, USA, Vol. 3915, 2000
			Ballif, J. et al., "Rapid and Scalable Scans at 21 m/s in optical Low-Coherence Reflectometry," Optics Letters, Vol. 22, pages 757-759, June 1997
			Barfuss H. et al., "Modified Optical Frequency-Domain Reflectometry with High Spatial-Resolution for Components of Integrated Optic Systems," Journal Of Lightwave Technology, Vol. 7, pages 3-10, January 1989
RSS			Beaud, P. et al., "Optical Reflectometry with Micrometer Resolution for the Investigation of Integrated Optical-Devices," Leee Journal of Quantum Electronics, Vol. 25, pages 755-759, April 1989

Examiner	Date Considered
	06/13/2006

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce (REV. 2-82) Patent and Trademark Office	Atty. Docket No.	Serial No.
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)	186599/US/2 – 475387-00153	10/016,244
	Applicant(s) Guillermo J. Tearney et al.	
	Filing Date October 30, 2001	Group 3737

RSS			Bouma, Brett et al., "Power-Efficient Nonreciprocal Interferometer and Linear-Scanning Fiber-Optic Catheter for Optical Coherence Tomography," Optics Letters, Vol. 24, pages 531-533, April 1999
			Brinkmeyer, E. et al., "Efficient Algorithm for Non-Equidistant Interpolation of Sampled Data," Electronics Letters, Vol. 28, page 693, March 1992
			Brinkmeyer, E. et al., "High-Resolution OCDR in Dispersive Wave-Guides," Electronics Letters, Vol. 26, pages 413-414, March 1990
			Chinn, S.R. et al., "Optical Coherence Tomography Using a Frequency-Tunable Optical Source," Optics Letters, Vol. 22, pages 340-342, March 1997
			Danielson, B.L. et al., "Absolute Optical Ranging Using Low Coherence Interferometry," Applied Optics, Vol. 30, page 2975, July 1991
			Dorrer, C. et al., "Spectral Resolution and Sampling Issues in Fourier-Transform Spectral Interferometry," Journal of the Optical Society of America B-Optical Physics, Vol. 17, pages 1795-1802, October 2000
			Dudley, J.M. et al., "Cross-Correlation Frequency Resolved Optical Gating Analysis of Broadband Continuum Generation in Photonic Crystal Fiber: Simulations and Experiments," Optics Express, Vol. 10, page 1215, October 2002
			Eickhoff, W. et al., "Optical Frequency-Domain Reflectometry in Single-Mode Fiber," Applied Physics Letters, Vol. 39, pages 693-695, 1981
			Fercher, Adolf "Optical Coherence Tomography," Journal of Biomedical Optics, Vol. 1, pages 157-173, April 1996
			Ferreira, L.A. et al., "Polarization-Insensitive Fiberoptic White-Light Interferometry," Optics Communications, Vol. 114, pages 386-392, February 1995
RSS			Fujii, Yohji, "High-Isolation Polarization-Independent Optical Circulator", Journal of Lightwave Technology, Vol. 9, pages 1239-1243, October 1991

Examiner	Date Considered
	06/13/2006

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce (REV. 2-82) Patent and Trademark Office	Atty. Docket No.	Serial No.
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)	186599/US/2 – 475387-00153	10/016,244
	Applicant(s) Guillermo J. Tearney et al.	
	Filing Date October 30, 2001	Group 3737

RSS			Glance, B., "Polarization Independent Coherent Optical Receiver," Journal of Lightwave Technology, Vol. LT-5, page 274, February 1987
			Glombitza, U., "Coherent Frequency-Domain Reflectometry for Characterization of Single-Mode Integrated-Optical Wave-Guides," Journal of Lightwave Technology, Vol. 11, pages 1377-1384, August 1993
			Golubovic, B. et al., "Optical Frequency-Domain Reflectometry Using Rapid Wavelength Tuning of a Cr4+:Forsterite Laser," Optics Letters, Vol. 11, pages 1704-1706, November 1997
			Haberland, U. H. P. et al., "Chirp Optical Coherence Tomography of Layered Scattering Media," Journal of Biomedical Optics, Vol. 3, pages 259-266, July 1998
			Hammer, Daniel X. et al., "Spectrally Resolved White-Light Interferometry for Measurement of Ocular Dispersion," Journal of the Optical Society of America A-Optics Image Science and Vision, Vol. 16, pages 2092-2102, September 1999
			Harvey, K. C. et al., "External-Cavity Diode-Laser Using a Grazing-Incidence Diffraction Grating," Optics Letters, Vol. 16, pages 910-912, June 1991
			Hausler, Gerd et al., " 'Coherence Radar' and 'Spectral Radar' New Tools for Dermatological Diagnosis," Journal of Biomedical Optics, Vol., 3, pages 21-31, January 1998
			Hee, Michael R. et al., "Polarization-Sensitive Low-Coherence Reflectometer for Birefringence Characterization and Ranging," Journal of the Optical Society of America B (Optical Physics), Vol. 9, page 903-908, June 1992
			Hotate Kazuo et al., "Optical Coherence Domain Reflectometry by Synthesis of Coherence Function," Journal of Lightwave Technology, Vol. 11, pages 1701-1710, October 1993
			Inoue, Kyo et al., "Nearly Degenerate 4-Wave-Mixing in a Traveling-Wave Semiconductor-Laser Amplifier," Applied Physics Letters, Vol. 51, pages 1051-1053, 1987
RSS			Ivanov, A. P. et al., "New Method for High-Range Resolution Measurements of Light Scattering in Optically Dense Inhomogeneous Media," Optics Letters, Vol. 1, pages 226-228, December 1977

Examiner	Date Considered
	06/13/2006

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce (REV. 2-82) Patent and Trademark Office	Atty. Docket No.	Serial No.
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)	186599/US/2 – 475387-00153	10/016,244
	Applicant(s) Guillermo J. Tearney et al.	
	Filing Date October 30, 2001	Group 3737

RSS			Ivanov, A. P. et al., "Interferometric Study of the Spatial Structure of a Light-Scattering Medium," Journal of Applied Spectroscopy, Vol. 28, pages 518-525, 1978
			Kazovsky, L. G. et al., "Heterodyne Detection Through Rain, Snow, and Turbid Media: Effective Receiver Size at Optical Through Millimeter Wavelenghths," Applied Optics, Vol. 22, pages 706-710, March 1983
			Kersey, A. D. et al., "Adaptive Polarization Diversity Receiver Configuration for Coherent Optical Fiber Communications," Electronics Letters, Vol. 25, pages 275-277, February 1989
			Kohlhaas, Andreas et al., "High-Resolution OCDR for Testing Integrated-Optical Waveguides: Dispersion-Corrupted Experimental Data Corrected by a Numerical Algorithm," Journal of Lightwave Technology, Vol. 9, pages 1493-1502, November 1991
			Larkin, Kieran G., "Efficient Nonlinear Algorithm for Envelope Detection in White Light Interferometry," Journal of the Optical Society of America A-Optics Image Science and Vision, Vol. 13, pages 832-843, April 1996
			Leitgeb, R. et al., "Spectral measurement of Absorption by Spectroscopic Frequency-Domain Optical Coherence Tomography," Optics Letters, Vol. 25, pages 820-822, June 2000
			Lexer, F. et al., "Wavelength-Tuning Interferometry of Intraocular Distances," Applied Optics,Vol. 36, pages 6548-6553, September 1997
			Mitsui, Takahisa, "Dynamic Range of Optical Reflectometry with Spectral Interferometry," Japanese Journal of Applied Physics Part 1-Regular Papers Short Notes & Review Papers, Vol. 38, pages 6133-6137, 1999
			Naganuma, Kazunori et al., "Group-Delay Measurement Using the Fourier-Transform of an Interferometric Cross-Correlation Generated by White Light," Optics Letters, Vol. 15, pages 393-395, April 1990
			Okoshi,Takanori, "Polarization-State Control Schemes for Heterodyne or Homodyne Optical Fiber Communications," Journal of Lightwave Technology, Vol. LT-3, pages 1232-1237, December 1995
RSS			Passy, R. et al., "Experimental and Theoretical Investigations of Coherent OFDR with Semiconductor-Laser Sources," Journal of Lightwave Technology, Vol. 12, pages 1622-1630, September 1994

Examiner	Date Considered
	06/13/2006

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce (REV. 2-82) Patent and Trademark Office	Atty. Docket No.	Serial No.
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)	186599/US/2 – 475387-00153	10/016,244
	Applicant(s) Guillermo J. Tearney et al.	
	Filing Date October 30, 2001	Group 3737

RSS			Podoleanu, Adrian G., "Unbalanced Versus Balanced Operation in an Optical Coherence Tomography System," Applied Optics, Vol. 39, pages 173-182, January 2000
			Price, J. H. V. et al., "Tunable, Femtosecond Pulse Source Operating in the Range 1.06-1.33 mu m Based on an Yb3+-doped Holey Fiber Amplifier," Journal of the Optical Society of America B-Optical Physics, Vol. 19, pages 1286-1294, June 2002
			Schmitt, J. M. et al, "Measurement of Optical-Properties of Biological Tissues By Low-Coherence Reflectometry," Applied Optics, Vol. 32, pages 6032-6042, October 1993
			Silberberg, Y. et al., "Passive-Mode Locking of a Semiconductor Diode-Laser," Optics Letters, Vol. 9, pages 507-509, November 1984
			Smith, L. Montgomery et al., "Absolute Displacement Measurements Using Modulation of the Spectrum of White-Light in a Michelson Interferometer," Applied Optics, Vol. 28, pages 3339-3342, August 1989
			Sonnenschein, C. M. et al., "Signal-To-Noise Relationships for Coaxial Systems that Heterodyne Backscatter from Atmosphere," Applied Optics, Vol. 10, pages 1600-1604, July 1971
			Sorin, W. V. et al., "Measurement of Rayleigh Backscattering at 1.55 mu m with 32 mu m Spatial Resolution," IEEE Photonics Technology Letters, Vol. 4, pages 374-376, April 1992
			Sorin, W. V. et al., "A Simple Intensity Noise-Reduction Technique for Optical Low-Coherence Reflectometry," IEEE Photonics Technology Letters, Vol. 4, pages 1404-1406, December 1992
			Swanson, E. A. et al., "High-Speed Optical Coherence Domain Reflectometry," Optics Letters, Vol. 17, pages 151-153, January 1992
			Takada, K. et al., "High-Resolution OFDR with Incorporated Fiberoptic Frequency Encoder," IEEE Photonics Technology Letters, Vol. 4, pages 1069-1072, September 1992
RSS			Takada, Kazumasa et al., "Narrow-Band light Source with Acoustooptic Tunable Filter for Optical Low-Coherence Reflectometry," IEEE Photonics Technology Letters, Vol. 8, pages 658-660, May, 1996

Examiner	Date Considered	06/13/2006

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce (REV. 2-82) Patent and Trademark Office	Atty. Docket No.	Serial No.
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)	186599/US/2 – 475387-00153	10/016,244
	Applicant(s) Guillermo J. Tearney et al.	
	Filing Date October 30, 2001	Group 3737

RSS			Takada, Kazumasa et al., "New Measurement System for Fault Location in Optical Wave-Guide Devices Based on an Interometric-Technique," Applied Optics, Vol. 26, pages 1603-1606, May 1987
			Tateda, Mitsuhiro et al., "Interferometric Method for Chromatic Dispersion Measurement in a Single-Mode Optical Fiber," IEEE Journal Of Quantum Electronics, Vol. 17, pages 404-407, March 1981
			Toide, M. et al., "Two-Dimensional Coherent Detection Imaging in Multiple Scattering Media Based the Directional Resolution Capability of the Optical Heterodyne Method," Applied Physics B (Photophysics and Laser Chemistry), Vol. B52, pages 391-394, 1991
			Trutna, W. R. et al., "Continuously Tuned External-Cavity Semiconductor-Laser," Journal of Lightwave Technology, Vol. 11, pages 1279-1286, August 1993
			Uttam, Deepak et al., "Precision Time Domain Reflectometry in Optical Fiber Systems Using a Frequency Modulated Continuous Wave Ranging Technique," Journal of Lightwave Technology, Vol. 3, pages 971-977, October 1985
			Von Der Weid, J. P. et al., "On the Characterization of Optical Fiber Network Components with Optical Frequency Domain Reflectometry," Journal of Lightwave Technology, Vol. 15, pages 1131-1141, July 1997
			Wysocki, P.F. et al., "Broad-Spectrum, Wavelength-Swept, Erbium-Doped Fiber Laser at 1.55-Mu-M," Optics Letters, Vol. 15, pages 879-881, August 1990
			Youngquist, Robert C. et al., "Optical Coherence-Domain Reflectometry – A New Optical Evaluation Technique," Optics Letters, Vol. 12, pages 158-160, March 1987
			Yun, S. H. et al., "Wavelength-Swept Fiber Laser with Frequency Shifted Feedback and Resonantly Swept Intra-Cavity Acoustooptic Tunable Filter," IEEE Journal of Selected Topics in Quantum Electronics, Vol. 3, pages 1087-1096, August 1997
			Yun, S. H. et al., "Interrogation of Fiber Grating Sensor Arrays with a Wavelength-Swept Fiber Laser," Optics Letters, Vol. 23, pages 843-845, June 1998
RSS			Yung, K. M., "Phase-Domain Processing of Optical Coherence Tomography Images," Journal of Biomedical Optics, Vol. 4, pages 125-136, January 1999

Examiner	Date Considered
	06/13/2006

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce (REV. 2-82) Patent and Trademark Office	Atty. Docket No.	Serial No.
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)	186599/US/2 – 475387-00153	10/016,244
	Applicant(s) Guillermo J. Tearney et al.	
	Filing Date October 30, 2001	Group 3737

RSS			Zhou, Xiao-Qun et al., "Extended-Range FMCW Reflectometry Using an optical Loop with a Frequency Shifter," IEEE Photonics Technology Letters, Vol. 8, pages 248-250, February 1996
			Zorabedian, Paul et al., "Tuning Fidelity of Acoustooptically Controlled External Cavity Semiconductor-Lasers," Journal of Lightwave Technology, Vol. 13, pages 62-66, January 1995
			Victor S. Y. Lin et al., "A Porous Silicon-Based Optical Interferometric Biosensor," Science Magazine, Vol. 278, pages 840-843, October 31, 1997
			De Boer, Johannes F. et al., "Review of Polarization Sensitive Optical Coherence Tomography and Stokes Vector Determination," Journal of Biomedical Optics, Vol. 7, No. 3, July 2002, pages 359-371
			Jiao, Shuliang et al., "Depth-Resolved Two-Dimensional Stokes Vectors of Backscattered Light and Mueller Matrices of Biological Tissue Measured with Optical Coherence Tomography," Applied Optics, Vol. 39, No. 34, December 1, 2000, pages 6318-6324
			Park, B. Hyle et al., "In Vivo Burn Depth Determination by High-Speed Fiber-Based Polarization Sensitive Optical Coherence Tomography," Journal of Biomedical Optics, Vol. 6 No. 4, October 2001, pages 474-479
			Roth, Jonathan E. et al., "Simplified Method for Polarization-Sensitive Optical Coherence Tomography," Optics Letters, Vol. 26, No. 14, July 15, 2001, pages 1069-1071
			Hitzenberger, Christopher K. et al., "Measurement and Imaging of Birefringence and Optic Axis Orientation by Phase Resolved Polarization Sensitive Optical Coherence Tomography," Optics Express, Vol. 9, No. 13, December 17, 2001, pages 780-790
			Wang, Xueding et al., "Propagation of Polarized Light in Birefringent Turbid Media: Time-Resolved Simulations," Optical Imaging Laboratory, Biomedical Engineering Program, Texas A&M University
			Wong, Brian J.F. et al., "Optical Coherence Tomography of the Rat Cochlea," Journal of Biomedical Optics, Vol. 5, No. 4, October 2000, pages 367-370
RSS			Yao, Gang et al., "Propagation of Polarized Light in Turbid Media: Simulated Animation Sequences," Optics Express, Vol. 7, No. 5, August 28, 2000, pages 198-203

Examiner	Date Considered
	06/13/2006

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce (REV. 2-82) Patent and Trademark Office	Atty. Docket No.	Serial No.
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)	186599/US/2 – 475387-00153	10/016,244
	Applicant(s) Guillermo J. Tearney et al.	
	Filing Date October 30, 2001	Group 3737

RSS			Wang, Xiao-Jun et al., "Characterization of Dentin and Enamel by Use of Optical Coherence Tomography," Applied Optics, Vol. 38, No. 10, April 1, 1999, pages 2092-2096
			De Boer, Johannes F. et al., "Determination of the Depth-Resolved Stokes Parameters of Light Backscattered from Turbid Media by use of Polarization-Sensitive Optical Coherence Tomography," Optics Letters, Vol. 24, No. 5, March 1, 1999, pages 300-302
			Ducros, Mathieu G. et al., "Polarization Sensitive Optical Coherence Tomography of the Rabbit Eye," IEEE Journal of Selected Topics in Quantum Electronics, Vol. 5, No. 4, July/August 1999, pages 1159-1167
			Groner, Warren et al., "Orthogonal Polarization Spectral Imaging: A New Method for Study of the Microcirculation," Nature Medicine Inc., Vol. 5 No. 10, October 1999, pages 1209-1213
			De Boer, Johannes F. et al., "Polarization Effects in Optical Coherence Tomography of Various Viological Tissues," IEEE Journal of Selected Topics in Quantum Electronics, Vol. 5, No. 4, July/August 1999, pages 1200-1204
			Yao, Gang et al., "Two-Dimensional Depth-Resolved Mueller Matrix Characterization of Biological Tissue by Optical Coherence Tomography," Optics Letters, April 15, 1999, Vol. 24, No. 8, pages 537-539
			Lu, Shih-Yau et al., "Homogeneous and Inhomogeneous Jones Matrices," J. Opt. Soc. Am. A., Vol. 11, No. 2, February 1994, pages 766-773
			Bickel, S. William et al., "Stokes Vectors, Mueller Matrices, and Polarized Scattered Light," Am. J. Phys., Vol. 53, No. 5, May 1985 pages 468-478
			Bréhonnet, F. Le Roy et al., "Optical Media and Target Characterization by Mueller Matrix Decomposition," J. Phys. D: Appl. Phys. 29, 1996, pages 34-38
			Cameron, Brent D. et al., "Measurement and Calculation of the Two-Dimensional Backscattering Mueller Matrix of a Turbid Medium," Optics Letters, Vol. 23, No. 7, April 1, 1998, pages 485-487
RSS			De Boer, Johannes F. et al., "Two-Dimensional Birefringence Imaging in Biological Tissue by Polarization-Sensitive Optical Coherence Tomography," Optics Letters, Vol. 22, No. 12, June 15, 1997, pages 934-936

Examiner	Date Considered
	06/13/2006

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce (REV. 2-82) Patent and Trademark Office	Atty. Docket No.	Serial No.
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)	186599/US/2 – 475387-00153	10/016,244
	Applicant(s) Guillermo J. Tearney et al.	
	Filing Date October 30, 2001	Group 3737

RSS			De Boer, Johannes F. et al., "Imaging Thermally Damaged Tissue by Polarization Sensitive Optical Coherence Tomography," Optics Express, Vol. 3, No. 6, September 14, 1998, pages 212-218
			Everett, M.J. et al., "Birefringence Characterization of Biological Tissue by Use of Optical Coherence Tomography," Optics Letters, Vol. 23, No. 3, February 1, 1998, pages 228-230
			Hee, Michael R. et al., "Polarization-Sensitive Low-Coherence Reflectometer for Birefringence Characterization and Ranging," J. Opt. Soc. Am. B., Vol. 9, No. 6, June 1992, pages 903-908
			Barakat, Richard, "Statistics of the Stokes Parameters," J. Opt. Soc. Am. B., Vol. 4, No. 7, July 1987, pages 1256-1263
			Schmitt, J.M. et al., "Cross-Polarized Backscatter in Optical Coherence Tomography of Biological Tissue," Optics Letters, Vol. 23, No. 13, July 1, 1998, pages 1060-1062
			Schoenenberger, Klaus et al., "Mapping of Birefringence and Thermal Damage in Tissue by use of Polarization-Sensitive Optical Coherence Tomography," Applied Optics, Vol. 37, No. 25, September 1, 1998, pages 6026-6036
			Pierce, Mark C. et al., "Simultaneous Intensity, Birefringence, and Flow Measurements with High-Speed Fiber-Based Optical Coherence Tomography," Optics Letters, Vol. 27, No. 17, September 1, 2002, pages 1534-1536
			De Boer, Johannes F. et al., "Review of Polarization Sensitive Optical Coherence Tomography and Stokes Vector Determination," Journal of Biomedical Optics, July 2002, Vol. 7, No. 3, pages 359-371
			Fried, Daniel et al., "Imaging Caries Lesions and Lesion Progression with Polarization Sensitive Optical Coherence Tomography," Journal of Biomedical Optics, Vol. 7, No. 4, October 2002, pages 618-627
			Jiao, Shuliang et al., "Two-Dimensional Depth-Resolved Mueller Matrix of Biological Tissue Measured with Double-Beam Polarization-Sensitive Optical Coherence Tomography," Optics Letters, Vol. 27, No. 2, January 15, 2002, pages 101-103
RSS			Jiao, Shuliang et al., "Jones-Matrix Imaging of Biological Tissues with Quadruple-Channel Optical Coherence Tomography," Journal of Biomedical Optics, Vol. 7, No. 3, July 2002, pages 350-358

Examiner	Date Considered
	06/13/2006

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce (REV. 2-82) Patent and Trademark Office	Atty. Docket No.	Serial No.
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)	186599/US/2 – 475387-00153	10/016,244
	Applicant(s) Guillermo J. Tearney et al.	
	Filing Date October 30, 2001	Group 3737

RSS			Kuranov, R.V. et al., "Complementary Use of Cross-Polarization and Standard OCT for Differential Diagnosis of Pathological Tissues," Optics Express, Vol. 10, No. 15, July 29, 2002, pages 707-713
			Cense, Barry et al., "In Vivo Depth-Resolved Birefringence Measurements of the Human Retinal Nerve Fiber Layer by Polarization-Sensitive Optical Coherence Tomography," Optics Letters, Vol. 27, No. 18, September 15, 2002, pages 1610-1612
			Ren, Hongwu et al., "Phase-Resolved Functional Optical Coherence Tomography: Simultaneous Imaging of In Situ Tissue Structure, Blood Flow Velocity, Standard Deviation, Birefringence, and Stokes Vectors in Human Skin," Optics Letters, Vol. 27, No. 19, October 1, 2002, pages 1702-1704
			Tripathi, Renu et al., "Spectral Shaping for Non-Gaussian Source Spectra in Optical Coherence Tomography," Optics Letters, Vol. 27, No. 6, March 15, 2002, pages 406-408
			Yasuno, Y. et al., "Birefringence Imaging of Human Skin by Polarization-Sensitive Spectral Interferometric Optical Coherence Tomography," Optics Letters, Vol. 27, No. 20, October 15, 2002 pages 1803-1805
			White, Brian R. et al., "In Vivo Dynamic Human Retinal Blood Flow Imaging Using Ultra-High-Speed Spectral Domain Optical Doppler Tomography," Optics Express, Vol. 11, No. 25, December 15, 2003, pages 3490-3497
			De Boer, Johannes F. et al., "Improved Signal-to-Noise Ratio in Spectral-Domain Compared with Time-Domain Optical Coherence Tomography," Optics Letters, Vol. 28, No. 21, November 1, 2003, pages 2067-2069
			Jiao, Shuliang et al., "Optical-Fiber-Based Mueller Optical Coherence Tomography," Optics Letters, Vol. 28, No. 14, July 15, 2003, pages 1206-1208
			Jiao, Shuliang et al., "Contrast Mechanisms in Polarization-Sensitive Mueller-Matrix Optical Coherence Tomography and Application in Burn Imaging," Applied Optics, Vol. 42, No. 25, September 1, 2003, pages 5191-5197
			Moreau, Julien et al., "Full-Field Birefringence Imaging by Thermal-Light Polarization-Sensitive Optical Coherence Tomography. I. Theory," Applied Optics, Vol. 42, No. 19, July 1, 2003, pages 3800-3810
RSS			Moreau, Julien et al., "Full-Field Birefringence Imaging by Thermal-Light Polarization-Sensitive Optical Coherence Tomography. II. Instrument and Results," Applied Optics, Vol. 42, No. 19, July 1, 2003, pages 3811-3818

Examiner	Date Considered
	06/13/2006

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce (REV. 2-82) Patent and Trademark Office	Atty. Docket No.	Serial No.
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)	186599/US/2 – 475387-00153	10/016,244
	Applicant(s) Guillermo J. Tearney et al.	
	Filing Date October 30, 2001	Group 3737

RSS			Morgan, Stephen P. et al., "Surface-Reflection Elimination in Polarization Imaging of Superficial Tissue," Optics Letters, Vol. 28, No. 2, January 15, 2003, pages 114-116
			Oh, Jung-Taek et al., "Polarization-Sensitive Optical Coherence Tomography for Photoelasticity Testing of Glass/Epoxy Composites," Optics Express, Vol. 11, No. 14, July 14, 2003, pages 1669-1676
			Park, B. Hyle et al., "Real-Time Multi-Functional Optical Coherence Tomography," Optics Express, Vol. 11, No. 7, April 7, 2003, pages 782-793
			Shribak, Michael et al., "Techniques for Fast and Sensitive Measurements of Two-Dimensional Birefringence Distributions," Applied Optics, Vol. 42, No. 16, June 1, 2003, pages 3009-3017
			Somervell, A.R.D. et al., "Direct Measurement of Fringe Amplitude and Phase Using a Heterodyne Interferometer Operating in Broadband Light," Elsevier, Optics Communications, October 2003
			Stifter, D. et al., "Polarisation-Sensitive Optical Coherence Tomography for Material Characterisation and Strain-Field Mapping," Applied Physics A 76, Materials Science & Processing, January 2003, pages 947-951
			Davé, Digant P. et al., "Polarization-Maintaining Fiber-Based Optical Low-Coherence Reflectometer for Characterization and Ranging of Birefringence," Optics Letters, Vol. 28, No. 19, October 1, 2003, pages 1775-1777
			Yang, Ying et al., "Observations of Birefringence in Tissues from Optic-Fibre-Based Optical Coherence Tomography," Measurement Science and Technology, November 2002, pages 41-46
			Yun, S.H. et al., "High-Speed Optical Frequency-Domain Imaging," Optics Express, Vol. 11, No. 22, November 3, 2003, pages 2953-2963
			Yun, S.H. et al., "High-Speed Spectral-Domain Optical Coherence Tomography at 1.3 μm Wavelength," Optics Express, Vol. 11, No. 26, December 29, 2003, pages 3598-3604
RSS			Zhang, Jun et al., "Determination of Birefringence and Absolute Optic Axis Orientation Using Polarization-Sensitive Optical Coherence Tomography with PM Fibers," Optics Express, Vol. 11, No. 24, December 1, 2003, pages 3262-3270

Examiner	Date Considered	06/13/2006

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce (REV. 2-82) Patent and Trademark Office	Atty. Docket No.	Serial No.
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)	186599/US/2 – 475387-00153	10/016,244
	Applicant(s) Guillermo J. Tearney et al.	
	Filing Date October 30, 2001	Group 3737

RSS			Pircher, Michael et al., "Three Dimensional Polarization Sensitive OCT of Human Skin In Vivo," 2004, Optical Society of America
			Götzinger, Erich et al., "Measurement and Imaging of Birefringent Properties of the Human Cornea with Phase-Resolved, Polarization-Sensitive Optical Coherence Tomography," Journal of Biomedical Optics, Vol. 9, No. 1, January/February 2004, pages 94-102
			Guo, Shuguang et al., "Depth-Resolved Birefringence and Differential Optical Axis Orientation Measurements with Finer-based Polarization-Sensitive Optical Coherence Tomography," Optics Letters, Vol. 29, No. 17, September 1, 2004, pages 2025-2027
			Huang, Xiang-Run et al.,"Variation of Peripapillary Retinal Nerve Fiber Layer Birefringence in Normal Human Subjects," Investigative Ophthalmology & Visual Science, Vol. 45, No. 9, September 2004, pages 3073-3080
			Matcher, Stephen J. et al., "The Collagen Structure of Bovine Intervertebral Disc Studied Using Polarization-Sensitive Optical Coherence Tomography," Physics in Medicine and Biology, 2004, pages 1295-1306
			Nassif, Nader et al., "In Vivo Human Retinal Imaging by Ultrahigh-Speed Spectral Domain Optical Coherence Tomography," Optics Letters, Vol. 29, No. 5, March 1, 2004, pages 480-482
			Nassif, N.A. et al., "In Vivo High-Resolution Video-Rate Spectral-Domain Optical Coherence Tomography of the Human Retina and Optic Nerve," Optics Express, Vol. 12, No. 3, February 9, 2004, pages 367-376
			Park, B. Hyle et al., "Comment on "Optical-Fiber-Based Mueller Optical Coherence Tomography," Optics Letters, Vol. 29, No. 24, December 15, 2004, pages 2873-2874
			Park, B. Hyle et al., "Jones Matrix Analysis for a Polarization-Sensitive Optical Coherence Tomography System Using Fiber-Optic Components," Optics Letters, Vol. 29, No. 21, November 1, 2004, pages 2512-2514
			Pierce, Mark C. et al., "Collagen Denaturation can be Quantified in Burned Human Skin Using Polarization-Sensitive Optical Coherence Tomography," Elsevier, Burns, 2004, pages 511-517
RSS			Pierce, Mark C. et al., "Advances in Optical Coherence Tomography Imaging for Dermatology," The Society for Investigative Dermatology, Inc. 2004, pages 458-463

Examiner	Date Considered
	06/13/2006

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce (REV. 2-82) Patent and Trademark Office	Atty. Docket No.	Serial No.
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)	186599/US/2 – 475387-00153	10/016,244
	Applicant(s) Guillermo J. Tearney et al.	
	Filing Date October 30, 2001	Group 3737

RSS			Pierce, Mark C. et al., "Birefringence Measurements in Human Skin Using Polarization-Sensitive Optical Coherence Tomography," Journal of Biomedical Optics, Vol. 9, No. 2, March/April 2004, pages 287-291
			Cense, Barry et al., "In Vivo Birefringence and Thickness Measurements of the Human Retinal Nerve Fiber Layer Using Polarization-Sensitive Optical Coherence Tomography," Journal of Biomedical Optics, Vol. 9, No. 1, January/February 2004, pages 121-125
			Pircher, Michael et al., "Imaging Of Polarization Properties of Human Retina in Vivo with Phase Resolved Transversal PS-OCT," Optics Express, Vol. 12, No. 24, November 29, 2004 pages 5940-5951
			Pircher, Michael et al., "Transversal Phase Resolved Polarization Sensitive Optical Coherence Tomography," Physics in Medicine & Biology, 2004, pages 1257-1263
			Srinivas, Shyam M. et al., "Determination of Burn Depth by Polarization-Sensitive Optical Coherence Tomography," Journal of Biomedical Optics, Vol. 9, No. 1, January/February 2004, pages 207-212
			Strasswimmer, John et al., "Polarization-Sensitive Optical Coherence Tomography of Invasive Basal Cell Carcinoma," Journal of Biomedical Optics, Vol. 9, No. 2, March/April 2004, pages 292-298
			Todorovič, Miloš et al., "Determination of Local Polarization Properties of Biological Samples in the Presence of Diattenuation by use of Mueller Optical Coherence Tomography," Optics Letters, Vol. 29, No. 20, October 15, 2004, pages 2402-2404
RSS			Yasuno, Yoshiaki et al., "Polarization-Sensitive Complex Fourier Domain Optical Coherence Tomography for Jones Matrix Imaging of Biological Samples," Applied Physics Letters, Vol. 85, No. 15, October 11, 2004, pages 3023-3025

Examiner	Date Considered
	06/13/2006

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce (REV. 2-82) Patent and Trademark Office	Atty. Docket No.	Serial No.
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)	186599/US/2 – 475387-00153	10/016,244
	Applicant(s) Guillermo J. Tearney et al.	
	Filing Date October 30, 2001	Group 3737

RSS			Acioli, L. H., M. Ulman, et al. (1991). "Femtosecond Temporal Encoding in Barium-Titanate." Optics Letters 16(24): 1984-1986
			Aigouy, L., A. Lahrech, et al. (1999). "Polarization effects in apertureless scanning near-field optical microscopy: an experimental study." Optics Letters 24(4): 187-189.
			Akiba, M., K. P. Chan, et al. (2003). "Full-field optical coherence tomography by two-dimensional heterodyne detection with a pair of CCD cameras." Optics Letters 28(10): 816-818.
			Akkin, T., D. P. Dave, et al. (2004). "Detection of neural activity using phase-sensitive optical low-coherence reflectometry." Optics Express 12(11): 2377-2386.
			Akkin, T., D. P. Dave, et al. (2003). "Surface analysis using phase sensitive optical low coherence reflectometry." Lasers in Surgery and Medicine: 4-4.
			Akkin, T., D. P. Dave, et al. (2003). "Imaging tissue response to electrical and photothermal stimulation with nanometer sensitivity." Lasers in Surgery and Medicine 33(4): 219-225.
			Akkin, T., T. E. Milner, et al. (2002). "Phase-sensitive measurement of birefringence change as an indication of neural functionality and diseases." Lasers in Surgery and Medicine: 6-6.
			Andretzky, P., Lindner, M.W., Herrmann, J.M., Schultz, A., Konzog, M., Kiesewetter, F., Haeusler, G. (1999). "Optical coherence tomography by 'spectral radar': Dynamic range estimation and in vivo measurements of skin." Proceedings of SPIE - The International Society for Optical Engineering 3567: Pages 78-87.
			Antcliff, R. J., T. J. ffytche, et al. (2000). "Optical coherence tomography of melanocytoma." American Journal of Ophthalmology 130(6): 845-7.
			Antcliff, R. J., M. R. Stanford, et al. (2000). "Comparison between optical coherence tomography and fundus fluorescein angiography for the detection of cystoid macular edema in patients with uveitis." Ophthalmology 107(3): 593-9.
RSS			Anvari, B., T. E. Milner, et al. (1995). "Selective Cooling of Biological Tissues - Application for Thermally Mediated Therapeutic Procedures." Physics in Medicine and Biology 40(2): 241-252.

Examiner	Date Considered
	06/13/2006

* . Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce (REV. 2-82) Patent and Trademark Office	Atty. Docket No.	Serial No.
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)	186599/US/2 – 475387-00153	10/016,244
	Applicant(s) Guillermo J. Tearney et al.	
	Filing Date October 30, 2001	Group 3737

RSS			Anvari, B., B. S. Tanenbaum, et al. (1995). "A Theoretical-Study of the Thermal Response of Skin to Cryogen Spray Cooling and Pulsed-Laser Irradiation - Implications for Treatment of Port-Wine Stain Birthmarks." Physics in Medicine and Biology 40(9): 1451-1465
			Arend, O., M. Ruffer, et al. (2000). "Macular circulation in patients with diabetes mellitus with and without arterial hypertension." British Journal of Ophthalmology 84(12): 1392-1396
			Arimoto, H. and Y. Ohtsuka (1997). "Measurements of the complex degree of spectral coherence by use of a wave-front-folded interferometer." Optics Letters 22(13): 958-960
			Azzolini, C., F. Patelli, et al. (2001). "Correlation between optical coherence tomography data and biomicroscopic interpretation of idiopathic macular hole." American Journal of Ophthalmology 132(3): 348-55
			Baba, T., K. Ohno-Matsui, et al. (2002). "Optical coherence tomography of choroidal neovascularization in high myopia." Acta Ophthalmologica Scandinavica 80(1): 82-7.
			Bail, M. A. H., Gerd; Herrmann, Juergen M.; Lindner, Michael W.; Ringler, R. (1996). "Optical coherence tomography with the "spectral radar": fast optical analysis in volume scatterers by short-coherence interferometry." Proc. SPIE , 2925: p. 298-303.
			Baney, D. M. and W. V. Sorin (1993). "Extended-Range Optical Low-Coherence Reflectometry Using a Recirculating Delay Technique." Ieee Photonics Technology Letters 5(9): 1109-1112.
			Baney, D. M., B. Szafraniec, et al. (2002). "Coherent optical spectrum analyzer." Ieee Photonics Technology Letters 14(3): 355-357.
			Barakat, R. (1981). "Bilinear Constraints between Elements of the 4by4 Mueller-Jones Transfer-Matrix of Polarization Theory." Optics Communications 38(3): 159-161.
			Barakat, R. (1993). "Analytic Proofs of the Arago-Fresnel Laws for the Interference of Polarized-Light." Journal of the Optical Society of America a-Optics Image Science and Vision 10(1): 180-185.
			Barbastathis, G. and D. J. Brady (1999). "Multidimensional tomographic imaging using volume holography." Proceedings of the Ieee 87(12): 2098-2120
RSS			Bardal, S., A. Kamal, et al. (1992). "Photoinduced Birefringence in Optical Fibers - a Comparative-Study of Low-Birefringence and High-Birefringence Fibers." Optics Letters 17(6): 411-413.

Examiner	Date Considered
	06/13/2006

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce (REV. 2-82) Patent and Trademark Office	Atty. Docket No.	Serial No.
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)	186599/US/2 – 475387-00153	10/016,244
	Applicant(s) Guillermo J. Tearney et al.	
	Filing Date October 30, 2001	Group 3737

RSS			Barsky, S. H., S. Rosen, et al. (1980). "Nature and Evolution of Port Wine Stains - Computer-Assisted Study." Journal of Investigative Dermatology 74(3): 154-157.
			Barton, J. K., J. A. Izatt, et al. (1999). "Three-dimensional reconstruction of blood vessels from in vivo color Doppler optical coherence tomography images." Dermatology 198(4): 355-361.
			Barton, J. K., A. Rollins, et al. (2001). "Photothermal coagulation of blood vessels: a comparison of high-speed optical coherence tomography and numerical modelling." Physics in Medicine and Biology 46.
			Barton, J. K., A. J. Welch, et al. (1998). "Investigating pulsed dye laser-blood vessel interaction with color Doppler optical coherence tomography." Optics Express 3.
			Bashkansky, M., M. D. Duncan, et al. (1997). "Subsurface defect detection in ceramics by high-speed high-resolution optical coherent tomography." Optics Letters 22 (1): 61-63.
			Bashkansky, M. and J. Reintjes (2000). "Statistics and reduction of speckle in optical coherence tomography." Optics Letters 25(8): 545-547.
			Baumgartner, A., S. Dichtl, et al. (2000). "Polarization-sensitive optical coherence tomography of dental structures." Caries Research 34(1): 59-69.
			Baumgartner, A., C. K. Hitzenberger, et al. (2000). "Resolution-improved dual-beam and standard optical coherence tomography: a comparison." Graefes Archive for Clinical and Experimental Ophthalmology 238(5): 385-392.
			Baumgartner, A., C. K. Hitzenberger, et al. (1998). "Signal and resolution enhancements in dual beam optical coherence tomography of the human eye." Journal of Biomedical Optics 3(1): 45-54.
			Beaurepaire, E., P. Gleyzes, et at. (1998). Optical coherence microscopy for the in-depth study of biological structures: System based on a parallel detection scheme, Proceedings of SPIE - The International Society for Optical Engineering.
			Beaurepaire, E., L. Moreaux, et al. (1999). "Combined scanning optical coherence and two-photon-excited fluorescence microscopy." Optics Letters 24(14): 969-971.
			Bechara, F. G., T. Gambichler, et al. (2004). "Histomorphologic correlation with routine histology and optical coherence tomography." Skin Research and Technology 10 (3): 169-173.
RSS			Bechmann, M., M. J. Thiel, et al. (2000). "Central corneal thickness determined with optical coherence tomography in various types of glaucoma. [see comments]." British Journal of Ophthalmology 84(11): 1233-7.

Examiner	Date Considered
	06/13/2006

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce (REV. 2-82) Patent and Trademark Office	Atty. Docket No.	Serial No.
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)	186599/US/2 – 475387-00153	10/016,244
	Applicant(s) Guillermo J. Tearney et al.	
	Filing Date October 30, 2001	Group 3737

RSS			Bek, T. and M. Kandi (2000). "Quantitative anomaloscopy and optical coherence tomography scanning in central serous chorioretinopathy." Acta Ophthalmologica Scandinavica 78(6): 632-7.
			Benoit, A. M., K. Naoun, et al. (2001). "Linear dichroism of the retinal nerve fiber layer expressed with Mueller matrices." Applied Optics 40(4): 565-569
			Bicout, D., C. Brosseau, et al. (1994). "Depolarization of Multiply Scattered Waves by Spherical Diffusers - Influence of the Size Parameter." Physical Review E 49(2): 1767-1770.
			Blanchot, L., M. Lebec, et al. (1997). Low-coherence in depth microscopy for biological tissues imaging: Design of a real time control system. Proceedings of SPIE - The International Society for Optical Engineering.
			Blumenthal, E. Z. and R. N. Weinreb (2001). "Assessment of the retinal nerve fiber layer in clinical trials of glaucoma neuroprotection. [Review] [36 refs]." Survey of Ophthalmology 45(Suppl 3): S305-12; discussion S332-4.
			Blumenthal, E. Z., J. M. Williams, et al. (2000). "Reproducibility of nerve fiber layer thickness measurements by use of optical coherence tomography." Ophthalmology 107(12): 2278-82.
			Boppart, S. A., B. E. Bouma, et al. (1996). "Imaging developing neural morphology using optical coherence tomography." Journal of Neuroscience Methods 70.
			Boppart, S. A., B. E. Bouma, et al. (1997). "Forward-imaging instruments for optical coherence tomography." Optics Letters 22.
			Boppart, S. A., B. E. Bouma, et al. (1998). "Intraoperative assessment of microsurgery with three-dimensional optical coherence tomography." Radiology 208: 81-86.
			Boppart, S. A., J. Herrmann, et al. (1999). "High-resolution optical coherence tomography-guided laser ablation of surgical tissue." Journal of Surgical Research 82(2): 275-84.
			Bouma, B. E. and J. G. Fujimoto (1996). "Compact Kerr-lens mode-locked resonators." Optics Letters 21.
			Bouma, B. E., L. E. Nelson, et al. (1998). "Optical coherence tomographic imaging of human tissue at 1.55 mu m and 1.81 mu m using Er and Tm-doped fiber sources." Journal of Biomedical Optics 3.
RSS			Bouma, B. E., M. Ramaswamy-Paye, et al. (1997). "Compact resonator designs for mode-locked solid-state lasers." Applied Physics B (Lasers and Optics) B65.

Examiner

Date Considered 06/13/2006

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce (REV. 2-82) Patent and Trademark Office	Atty. Docket No.	Serial No.
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)	186599/US/2 – 475387-00153	10/016,244
	Applicant(s) Guillermo J. Tearney et al.	
	Filing Date October 30, 2001	Group 3737

RSS			Bouma, B. E. and G. J. Tearney (2002). "Clinical imaging with optical coherence tomography." Academic Radiology 9(8): 942-953.
			Bouma, B. E., G. J. Tearney, et al. (1996). "Self-phase-modulated Kerr-lens mode-locked Cr:forsterite laser source for optical coherence tomography." Optics Letters 21(22): 1839.
			Bouma, B. E., G. J. Tearney, et al. (2000). "High-resolution imaging of the human esophagus and stomach in vivo using optical coherence tomography." Gastrointestinal Endoscopy 51(4): 467-474.
			Bouma, B. E., G. J. Tearney, et al. (2003). "Evaluation of intracoronary stenting by intravascular optical coherence tomography." Heart 89(3): 317-320.
			Bourquin, S., V. Monterosso, et al. (2000). "Video-rate optical low-coherence reflectometry based on a linear smart detector array." Optics Letters 25(2): 102-104.
			Bourquin, S., P. Seitz, et al. (2001). "Optical coherence topography based on a two-dimensional smart detector array." Optics Letters 26(8): 512-514.
			Bouzid, A., M. A. G. Abushagur, et al. (1995). "Fiber-optic four-detector polarimeter." Optics Communications 118(3-4): 329-334.
			Bowd, C., R. N. Weinreb, et al. (2000). "The retinal nerve fiber layer thickness in ocular hypertensive, normal, and glaucomatous eyes with optical coherence tomography." Archives of Ophthalmology 118(1): 22-6.
			Bowd, C., L. M. Zangwill, et al. (2001). "Detecting early glaucoma by assessment of retinal nerve fiber layer thickness and visual function." Investigative Ophthalmology & Visual Science 42(9): 1993-2003.
			Bowd, C., L. M. Zangwill, et al. (2002). "Imaging of the optic disc and retinal nerve fiber layer: the effects of age, optic disc area, refractive error, and gender." Journal of the Optical Society of America, A, Optics, Image Science, & Vision 19(1): 197-207.
			Brand, S., J. M. Poneros, et al. (2000). "Optical coherence tomography in the gastrointestinal tract." Endoscopy 32(10): 796-803.
			Brezinski, M. E. and J. G. Fujimoto (1999). "Optical coherence tomography: high-resolution imaging in nontransparent tissue." IEEE Journal of Selected Topics in Quantum Electronics 5(4): 1185-1192.
RSS			Brezinski, M. E., G. J. Tearney, et al. (1996). "Imaging of coronary artery microstructure (in vitro) with optical coherence tomography." American Journal of Cardiology 77 (1): 92-93.

Examiner	Date Considered
	06/13/2006

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce (REV. 2-82) Patent and Trademark Office	Atty. Docket No.	Serial No.
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)	186599/US/2 – 475387-00153	10/016,244
	Applicant(s) Guillermo J. Tearney et al.	
	Filing Date October 30, 2001	Group 3737

RSS			Brezinski, M. E., G. J. Tearney, et al. (1996). "Optical coherence tomography for optical biopsy - Properties and demonstration of vascular pathology." Circulation 93(6): 1206-1213.
			Brezinski, M. E., G. J. Tearney, et al. (1997). "Assessing atherosclerotic plaque morphology: Comparison of optical coherence tomography and high frequency intravascular ultrasound." Heart 77(5): 397-403.
			Brink, H. B. K. and G. J. Vanblokland (1988). "Birefringence of the Human Foveal Area Assessed Invivo with Mueller-Matrix Ellipsometry." Journal of the Optical Society of America a-Optics Image Science and Vision 5(1): 49-57.
			Brosseau, C. and D. Bicout (1994). "Entropy Production in Multiple-Scattering of Light by a Spatially Random Medium." Physical Review E 50(6): 4997-5005.
			Burgoyne, C. F., D. E. Mercante, et al. (2002). "Change detection in regional and volumetric disc parameters using longitudinal confocal scanning laser tomography." Ophthalmology 109(3): 455-66.
			Candido, R. and T. J. Allen (2002). "Haemodynamics in microvascular complications in type 1 diabetes." Diabetes-Metabolism Research and Reviews 18(4): 286-304.
			Cense, B., T. C. Chen, et al. (2004). "Thickness and birefringence of healthy retinal nerve fiber layer tissue measured with polarization-sensitive optical coherence tomography." Investigative Ophthalmology & Visual Science 45(8): 2606-2612.
			Cense, B., N. Nassif, et al. (2004). "Ultrahigh-Resolution High-Speed Retinal Imaging Using Spectral-Domain Optical Coherence Tomography." Optics Express 12(11): 2435-2447.
			Chance, B., J. S. Leigh, et al. (1988). "Comparison of Time-Resolved and Time-Unresolved Measurements of Deoxyhemoglobin in Brain." Proceedings of the National Academy of Sciences of the United States of America 85(14): 4971-4975.
			Chang, E. P., D. A. Keedy, et al. (1974). "Ultrastructures of Rabbit Corneal Stroma - Mapping of Optical and Morphological Anisotropies." Biochimica Et Biophysica Acta 343(3): 615-626.
RSS			Chartier, T., A. Hideur, et al. (2001). "Measurement of the elliptical birefringence of single-mode optical fibers." Applied Optics 40(30): 5343-5353.

Examiner	Date Considered
	06/13/2006

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce (REV. 2-82) Patent and Trademark Office	Atty. Docket No.	Serial No.
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)	186599/US/2 – 475387-00153	10/016,244
	Applicant(s) Guillermo J. Tearney et al.	
	Filing Date October 30, 2001	Group 3737

RSS			Chauhan, B. C., J. W. Blanchard, et al. (2000). "Technique for Detecting Serial Topographic Changes in the Optic Disc and Peripapillary Retina Using Scanning Laser Tomograph." Invest Ophthalmol Vis Sci 41: 775-782.
			Chen, Z. P., T. E. Milner, et al. (1997). "Optical Doppler tomographic imaging of fluid flow velocity in highly scattering media." Optics Letters 22(1): 64-66.
			Chen, Z. P., T. E. Milner, et al. (1997). "Noninvasive imaging of in vivo blood flow velocity using optical Doppler tomography." Optics Letters 22(14): 1119-1121.
			Chen, Z. P., Y. H. Zhao, et al. (1999). "Optical Doppler tomography." Ieee Journal of Selected Topics in Quantum Electronics 5(4): 1134-1142.
			Cheong, W. F., S. A. Prahl, et al. (1990). "A Review of the Optical-Properties of Biological Tissues." Ieee Journal of Quantum Electronics 26(12): 2166-2185.
			Chernikov, S. V., Y. Zhu, et al. (1997). "Supercontinuum self-Q-switched ytterbium fiber laser." Optics Letters 22(5): 298-300.
			Cho, S. H., B. E. Bouma, et al. (1999). "Low-repetition-rate high-peak-power Kerr-lens mode-locked Ti:Al/sub 2/0/sub 3/ laser with a multiple-pass cavity." Optics Letters 24(6): 417-419.
			Choma, M. A., M. V. Sarunic, et al. (2003). "Sensitivity advantage of swept source and Fourier domain optical coherence tomography." Optics Express 11(18): 2183-2189.
			Choma, M. A., C. H. Yang, et al. (2003). "Instantaneous quadrature low-coherence interferometry with 3 x 3 fiber-optic couplers." Optics Letters 28(22): 2162-2164.
			Choplin, N. T. and D. C. Lundy (2001). "The sensitivity and specificity of scanning laser polarimetry in the detection of glaucoma in a clinical setting." Ophthalmology 108 (5): 899-904.
			Christens Barry, W. A., W. J. Green, et al. (1996). "Spatial mapping of polarized light transmission in the central rabbit cornea." Experimental Eye Research 62(6): 651-662.
			Chvapil, M., D. P. Speer, et al. (1984). "Identification of the depth of burn injury by collagen stainability." Plastic & Reconstructive Surgery 73(3): 438-41.
RSS			Cioffi, G. A. (2001). "Three common assumptions about ocular blood flow and glaucoma." Survey of Ophthalmology 45: S325-S331.

Examiner	Date Considered
	06/13/2006

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce (REV. 2-82) Patent and Trademark Office **INFORMATION DISCLOSURE STATEMENT BY APPLICANT** **(Use several sheets if necessary)**	Atty. Docket No. 186599/US/2 – 475387-00153	Serial No. 10/016,244
	Applicant(s) Guillermo J. Tearney et al.	
	Filing Date October 30, 2001	Group 3737

RSS			Coleman, A. L. (1999). "Glaucoma." Lancet 354(9192): 1803-10.
			Collaborative Normal-Tension Glaucoma Study Group (1998). "Comparison of Glaucomatous Progression Between Untreated Patients With Normal Tension Glaucoma and Patients with Therapeutically Reduced Intraocular Pressures." Am J Ophthalmol 126: 487-97.
			Collaborative Normal-Tension Glaucoma Study Group (1998). "The effectiveness of intraocular pressure reduction in the treatment of normal-tension glaucoma." Am J Ophthalmol 126: 498-505.
			Collaborative Normal-Tension Glaucoma Study Group (2001). "Natural History of Normal-Tension Glaucoma." Ophthalmology 108: 247-253.
			Colston, B. W., M. J. Everett, et al. (1998). "Imaging of hard- and soft-tissue structure in the oral cavity by optical coherence tomography." Applied Optics 37(16): 3582-3585.
			Colston, B. W., U. S. Sathyam, et al. (1998). "Dental OCT." Optics Express 3(6): 230-238.
			Congdon, N. G., D. S. Friedman, et al. (2003). "Important causes of visual impairment in the world today." Jama-Journal of the American Medical Association 290(15): 2057-2060.
			Cregan, R. F., B. J. Mangan, et al. (1999). "Single-mode photonic band gap guidance of light in air." Science 285(5433): 1537-1539.
			DalMolin, M., A. Galtarossa, et al. (1997). "Experimental investigation of linear polarization in high-birefringence single-mode fibers." Applied Optics 36(12): 2526-2528.
			Danielson, B. L. and C. D. Whittenberg (1987). "Guided-Wave Reflectometry with Micrometer Resolution." Applied Optics 26(14): 2836-2842.
			Dave, D. P. and T. E. Milner (2000). "Doppler-angle measurement in highly scattering media." Optics Letters 25(20): 1523-1525.
			de Boer, J. F., T. E. Milner, et al. (1998). Two dimensional birefringence imaging in biological tissue using phase and polarization sensitive optical coherence tomography. Trends in Optics and Photonics (TOPS): Advances in Optical Imaging and Photon Migration, Orlando, USA, Optical Society of America, Washington, DC 1998.
RSS			de Boer, J. F., C. E. Saxer, et al. (2001). "Stable carrier generation and phase-resolved digital data processing in optical coherence tomography." Applied Optics 40(31): 5787-5790.

Examiner	Date Considered
	06/13/2006

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce (REV. 2-82) Patent and Trademark Office	Atty. Docket No.	Serial No.
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)	186599/US/2 – 475387-00153	10/016,244
	Applicant(s) Guillermo J. Tearney et al.	
	Filing Date October 30, 2001	Group 3737

RSS			Degroot, P. and L. Deck (1993). "3-Dimensional Imaging by Sub-Nyquist Sampling of White-Light Interferograms." Optics Letters 18(17): 1462-1464.
			Denk, W., J. H. Strickler, et al. (1990). "2-Photon Laser Scanning Fluorescence Microscopy." Science 248(4951): 73-76.
			Descour, M. R., A. H. O. Karkkainen, et al. (2002). "Toward the development of miniaturized Imaging systems for detection of pre-cancer." Ieee Journal of Quantum Electronics 38(2): 122-130.
			Dettwiller, L. (1997). "Polarization state interference: A general investigation." Pure and Applied Optics 6(1): 41-53.
			DiCarlo, C. D., W. P. Roach, et al. (1999). "Comparison of optical coherence tomography imaging of cataracts with histopathology." Journal of Biomedical Optics 4.
			Ding, Z., Y. Zhao, et al. (2002). "Real-time phase-resolved optical coherence tomography and optical Doppler tomography." Optics Express 10(5): 236-245.
			Dobrin, P. B. (1996). "Effect of histologic preparation on the cross-sectional area of arterial rings." Journal of Surgical Research 61(2): 413-5.
			Donohue, D. J., B. J. Stoyanov, et al. (1995). "Numerical Modeling of the Corneas Lamellar Structure and Birefringence Properties." Journal of the Optical Society of America a-Optics Image Science and Vision 12(7): 1425-1438.
			Doornbos, R. M. P., R. Lang, et al. (1999). "The determination of in vivo human tissue optical properties and absolute chromophore concentrations using spatially resolved steady-state diffuse reflectance spectroscopy." Physics in Medicine and Biology 44(4): 967-981.
			Drexler, W., A. Baumgartner, et al. (1997). "Biometric investigation of changes in the anterior eye segment during accommodation." Vision Research 37(19): 2789-2800.
			Drexler, W., A. Baumgartner, et al. (1997). "Submicrometer precision biometry of the anterior segment of the human eye." Investigative Ophthalmology & Visual Science 38(7): 1304-1313.
RSS			Drexler, W., A. Baumgartner, et al. (1998). "Dual beam optical coherence tomography: signal identification for ophthalmologic diagnosis." Journal of Biomedical Optics 3 (1): 55-65.

Examiner	Date Considered
	06/13/2006

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce (REV. 2-82) Patent and Trademark Office	Atty. Docket No.	Serial No.
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)	186599/US/2 – 475387-00153	10/016,244
	Applicant(s) Guillermo J. Tearney et al.	
	Filing Date October 30, 2001	Group 3737

RSS			Drexler, W., O. Findl, et al. (1998). "Partial coherence interferometry: A novel approach to biometry in cataract surgery." American Journal of Ophthalmology 126(4): 524-534.
			Drexler, W., O. Findl, et al. (1997). "Clinical feasibility of dual beam optical coherence topography and tomography for ophthalmologic diagnosis." Investigative Ophthalmology & Visual Science 38(4): 1038-1038.
			Drexler, W., C. K. Hitzenberger, et al. (1998). "Investigation of dispersion effects in ocular media by multiple wavelength partial coherence interferometry." Experimental Eye Research 66(1): 25-33.
			Drexler, W., C. K. Hitzenberger, et al. (1996). "(Sub)micrometer precision biometry of the human eye by optical coherence tomography and topography." Investigative Ophthalmology & Visual Science 37(3): 4374-4374.
			Drexler, W., C. K. Hitzenberger, et al. (1995). "Measurement of the Thickness of Fundus Layers by Partial Coherence Tomography." Optical Engineering 34(3): 701-710.
			Drexler, W., U. Morgner, et al. (2001). "Ultrahigh-resolution ophthalmic optical coherence tomography." Nature Medicine 7(4): 502-507.
			Drexler, W., U. Morgner, et al. (2001). "Ultrahigh-resolution ophthalmic optical coherence tomography. [erratum appears in Nat Med 2001 May;7(5):636.]." Nature Medicine 7(4): 502-7.
			Drexler, W., H. Sattmann, et al. (2003). "Enhanced visualization of macular pathology with the use of ultrahigh-resolution optical coherence tomography." Archives of Ophthalmology 121(5): 695-706.
			Drexler, W., D. Stamper, et al. (2001). "Correlation of collagen organization with polarization sensitive imaging of in vitro cartilage: implications for osteoarthritis." Journal of Rheumatology 28(6): 1311-8.
			Droog, E. J., W. Steenbergen, et al. (2001). "Measurement of depth of burns by laser Doppler perfusion imaging." Burns 27(6): 561-8.
RSS			Dubois, A., K. Grieve, et al. (2004). "Ultrahigh-resolution full-field optical coherence tomography." Applied Optics 43(14): 2874-2883.

Examiner	Date Considered
	06/13/2006

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce (REV. 2-82) Patent and Trademark Office	Atty. Docket No.	Serial No.
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)	186599/US/2 – 475387-00153	10/016,244
	Applicant(s) Guillermo J. Tearney et al.	
	Filing Date October 30, 2001	Group 3737

RSS			Dubois, A., L. Vabre, et al. (2002). "High-resolution full-field optical coherence tomography with a Linnik microscope." Applied Optics 41(4): 805-812.
			Ducros, M., M. Laubscher, et al. (2002). "Parallel optical coherence tomography in scattering samples using a two-dimensional smart-pixel detector array." Optics Communications 202(1-3): 29-35.
			Ducros, M. G., J. D. Marsack, et al. (2001). "Primate retina imaging with polarization-sensitive optical coherence tomography." Journal of the Optical Society of America a-Optics Image Science and Vision 18(12): 2945-2956.
			Duncan, A., J. H. Meek, et al. (1995). "Optical Pathlength Measurements on Adult Head, Calf and Forearm and the Head of the Newborn-Infant Using Phase-Resolved Optical Spectroscopy." Physics in Medicine and Biology 40(2): 295-304.
			Eigensee, A., G. Haeusler, et al. (1996). "New method of short-coherence interferometry in human skin (in vivo) and in solid volume scatterers." Proceedings of SPIE - The International Society for Optical Engineering 2925: 169-178.
			Eisenbeiss, W., J. Marotz, et al. (1999). "Reflection-optical multispectral imaging method for objective determination of burn depth." Burns 25(8): 697-704.
			Elbaum, M., M. King, et al. (1972). "Wavelength-Diversity Technique for Reduction of Speckle Size." Journal of the Optical Society of America 62(5): 732-&.
			Ervin, J. C., H. G. Lemij, et al. (2002). "Clinician change detection viewing longitudinal stereophotographs compared to confocal scanning laser tomography in the LSU Experimental Glaucoma (LEG) Study." Ophthalmology 109(3): 467-81.
			Essenpreis, M., C. E. Elwell, et al. (1993). "Spectral Dependence of Temporal Point Spread Functions in Human Tissues." Applied Optics 32(4): 418-425.
			Eun, H. C. (1995). "Evaluation of skin blood flow by laser Doppler flowmetry. [Review] [151 refs]." Clinics in Dermatology 13(4): 337-47.
RSS			Evans, J. A., J. M. Poneros, et al. (2004). "Application of a histopathologic scoring system to optical coherence tomography (OCT) images to identify high-grade dysplasia in Barrett's esophagus." Gastroenterology 126(4): A51-A51.

Examiner	Date Considered	06/13/2006

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce (REV. 2-82) Patent and Trademark Office	Atty. Docket No.	Serial No.
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)	186599/US/2 – 475387-00153	10/016,244
	Applicant(s) Guillermo J. Tearney et al.	
	Filing Date October 30, 2001	Group 3737

RSS			Feldchtein, F. I., G. V. Gelikonov, et al. (1998). "In vivo OCT imaging of hard and soft tissue of the oral cavity." Optics Express 3(6): 239-250.
			Feldchtein, F. I., G. V. Gelikonov, et al. (1998). "Endoscopic applications of optical coherence tomography." Optics Express 3(6): 257-270.
			Fercher, A. F., W. Drexler, et al. (1997). "Optical ocular tomography." Neuro- Ophthalmology 18(2): 39-49.
			Fercher, A. F., W. Drexler, et al. (1994). Measurement of optical distances by optical spectrum modulation. Proceedings of SPIE - The International Society for Optical Engineering.
			Fercher, A. F., W. Drexler, et al. (2003). "Optical coherence tomography - principles and applications." Reports on Progress in Physics 66(2): 239-303.
			Fercher, A. F., C. Hitzenberger, et al. (1991). "Measurement of Intraocular Optical Distances Using Partially Coherent Laser-Light." Journal of Modern Optics 38(7): 1327-1333.
			Fercher, A. F., C. K. Hitzenberger, et al. (1996). Ocular partial coherence interferometry. Proceedings of SPIE - The International Society for Optical Engineering.
			Fercher, A. F., C. K. Hitzenberger, et al. (1993). "In-Vivo Optical Coherence Tomography." American Journal of Ophthalmology 116(1): 113-115.
			Fercher, A. F., C. K. Hitzenberger, et al. (1994). In-vivo dual-beam optical coherence tomography. Proceedings of SPIE - The International Society for Optical Engineering.
			Fercher, A. F., C. K. Hitzenberger, et al. (1995). "Measurement of Intraocular Distances by Backscattering Spectral Interferometry." Optics Communications 117(1-2): 43-48.
			Fercher, A. F., C. K. Hitzenberger, et al. (2000). "A thermal light source technique for optical coherence tomography." Optics Communications 185(1-3): 57-64.
RSS			Fercher, A. F., C. K. Hitzenberger, et al. (2001). "Numerical dispersion compensation for Partial Coherence Interferometry and Optical Coherence Tomography." Optics Express 9(12): 610-615.

Examiner	Date Considered
	06/13/2006

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce (REV. 2-82) Patent and Trademark Office	Atty. Docket No.	Serial No.
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)	186599/US/2 – 475387-00153	10/016,244
	Applicant(s) Guillermo J. Tearney et al.	
	Filing Date October 30, 2001	Group 3737

RSS			Fercher, A. F., C. K. Hitzenberger, et al. (2002). "Dispersion compensation for optical coherence tomography depth- scan signals by a numerical technique." Optics Communications 204(1-6): 67-74.
			Fercher, A. F., H. C. Li, et al. (1993). "Slit Lamp Laser-Doppler Interferometer." Lasers in Surgery and Medicine 13(4): 447-452.
			Fercher, A. F., K. Mengedoht, et at. (1988). "Eye-Length Measurement by Interferometry with Partially Coherent-Light." Optics Letters 13(3): 186-188.
			Ferro, P., M. Haelterman, et al. (1991). "All-Optical Polarization Switch with Long Low-Birefringence Fiber." Electronics Letters 27(16): 1407-1408.
			Fetterman, M. R., D. Goswami, et al. (1998). "Ultrafast pulse shaping: amplification and characterization." Optics Express 3(10): 366-375.
			Findl, O., W. Drexler, et al. (2001). "Improved prediction of intraocular lens power using partial coherence interferometry." Journal of Cataract and Refractive Surgery 27 (6): 861-867.
			Fork, R. L., C. H. B. Cruz, et al. (1987). "Compression of Optical Pulses to 6 Femtoseconds by Using Cubic Phase Compensation." Optics Letters 12(7): 483-485.
			Foschini, G. J. and C. D. Poole (1991). "Statistical-Theory of Polarization Dispersion in Single-Mode Fibers." Journal of Lightwave Technology 9(11): 1439-1456.
			Francia, C., F. Bruyere, et al. (1998). "PMD second-order effects on pulse propagation in single-mode optical fibers." Ieee Photonics Technology Letters 10(12): 1739-1741
			Fried, D., R. E. Glena, et al. (1995). "Nature of Light-Scattering in Dental Enamel and Dentin at Visible and near-Infrared Wavelengths." Applied Optics 34(7): 1278-1285.
RSS			Fujimoto, J. G., M. E. Brezinski, et al. (1995). "Optical Biopsy and Imaging Using Optical Coherence Tomography." Nature Medicine 1(9): 970-972.

Examiner	Date Considered
	06/13/2006

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce (REV. 2-82) Patent and Trademark Office	Atty. Docket No.	Serial No.
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)	186599/US/2 – 475387-00153	10/016,244
	Applicant(s) Guillermo J. Tearney et al.	
	Filing Date October 30, 2001	Group 3737

RSS			Fukasawa, A. and H. Iijima (2002). "Optical coherence tomography of choroidal osteoma." American Journal of Ophthalmology 133(3): 419-21.
			Fymat, A. L. (1981). "High-Resolution Interferometric Spectrophotopolarimetry." Optical Engineering 20(1): 25-30.
			Galtarossa, A., L. Palmieri, et al. (2000). "Statistical characterization of fiber random birefringence." Optics Letters 25(18): 1322-1324.
			Galtarossa, A., L. Palmieri, et al. (2000). "Measurements of beat length and perturbation length in long single-mode fibers." Optics Letters 25(6): 384-386.
			Gandjbakhche, A. H., P. Mills, et al. (1994). "Light-Scattering Technique for the Study of Orientation and Deformation of Red-Blood-Cells in a Concentrated Suspension." Applied Optics 33(6): 1070-1078.
			Garcia, N. and M. Nieto-Vesperinas (2002). "Left-handed materials do not make a perfect lens." Physical Review Letters 88(20).
			Gelikonov, V. M., G. V. Gelikonov, et al. (1995). "Coherent Optical Tomography of Microscopic Inhomogeneities in Biological Tissues." Jetp Letters 61(2): 158-162.
			George, N. and A. Jain (1973). "Speckle Reduction Using Multiple Tones of Illumination." Applied Optics 12(6): 1202-1212.
			Gibson, G. N., R. Klank, et al. (1996). "Electro-optically cavity-dumped ultrashort-pulse Ti:sapphire oscillator." Optics Letters 21(14): 1055.
			Gil, J. J. (2000). "Characteristic properties of Mueller matrices." Journal of the Optical Society of America a-Optics Image Science and Vision 17(2): 328-334.
			Gil, J. J. and E. Bernabeu (1987). "Obtainment of the Polarizing and Retardation Parameters of a Nondepolarizing Optical-System from the Polar Decomposition of Its Mueller Matrix." Optik 76(2): 67-71.
RSS			Gladkova, N. D., G. A. Petrova, et al. (2000). "In vivo optical coherence tomography imaging of human skin: norm and pathology." Skin Research and Technology 6 (1): 6-16.

Examiner	Date Considered
	06/13/2006

*. Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce (REV. 2-82) Patent and Trademark Office	Atty. Docket No.	Serial No.
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)	186599/US/2 – 475387-00153	10/016,244
	Applicant(s) Guillermo J. Tearney et al.	
	Filing Date October 30, 2001	Group 3737

RSS			Glaessl, A., A. G. Schreyer, et al. (2001). "Laser surgical planning with magnetic resonance imaging-based 3-dimensional reconstructions for intralesional Nd : YAG laser therapy of a venous malformation of the neck." Archives of Dermatology 137(10): 1331-1335.
			Gloesmann, M., B. Hermann, et al. (2003). "Histologic correlation of pig retina radial stratification with ultrahigh-resolution optical coherence tomography." Investigative Ophthalmology & Visual Science 44(4): 1696-1703.
			Goldberg, L. and D. Mehuys (1994). "High-Power Superluminescent Diode Source." Electronics Letters 30(20): 1682-1684.
			Goldsmith, J. A., Y. Li, et al. (2005). "Anterior chamber width measurement by high speed optical coherence tomography." Ophthalmology 112(2): 238-244.
			Goldstein, L. E., J. A. Muffat, et al. (2003). "Cytosolic beta-amyloid deposition and supranuclear cataracts in lenses from people with Alzheimer's disease." Lancet 361(9365): 1258-1265.
			Golubovic, B., B. E. Bouma, et al. (1996). "Thin crystal, room-temperature Cr/sup 4 +/:forstefite laser using near-infrared pumping." Optics Letters 21(24): 1993-1995.
			Gonzalez, S. and Z. Tannous (2002). "Real-time, in vivo confocal reflectance microscopy of basal cell carcinoma." Journal of the American Academy of Dermatology 47(6): 869-874.
			Gordon, M. O. and M. A. Kass (1999). "The Ocular Hypertension Treatment Study: design and baseline description of the participants." Archives of Ophthalmology 117(5): 573-83.
			Grayson, T. P., J. R. Torgerson, et al. (1994). "Observation of a Nonlocal Pancharatnam Phase-Shift in the Process of Induced Coherence without Induced Emission." Physical Review A 49(1): 626-628.
			Greaney, M. J., D. C. Hoffman, et al. (2002). "Comparison of optic nerve imaging methods to distinguish normal eyes from those with glaucoma." Investigative Ophthalmology & Visual Science 43(1): 140-5.
RSS			Greenfield, D. S., H. Bagga, et al. (2003). "Macular thickness changes in glaucomatous optic neuropathy detected using optical coherence tomography." Archives of Ophthalmology 121(1): 41-46.

Examiner	Date Considered
	06/13/2006

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce (REV. 2-82) Patent and Trademark Office	Atty. Docket No.	Serial No.
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)	186599/US/2 – 475387-00153	10/016,244
	Applicant(s) Guillermo J. Tearney et al.	
	Filing Date October 30, 2001	Group 3737

RSS			Greenfield, D. S., R. W. Knighton, et al. (2000). "Effect of corneal polarization axis on assessment of retinal nerve fiber layer thickness by scanning laser polarimetry." American Journal of Ophthalmology 129(6): 715-722.
			Griffin, R. A., D. D. Sampson, et al. (1995). "Coherence Coding for Photonic Code-Division Multiple-Access Networks." Journal of Lightwave Technology 13(9): 1826-1837.
			Guedes, V., J. S. Schuman, et al. (2003). "Optical coherence tomography measurement of macular and nerve fiber layer thickness in normal and glaucomatous human eyes." Ophthalmology 110(1): 177-189.
			Gueugniaud, P. Y., H. Carsin, et al. (2000). "Current advances in the initial management of major thermal burns. [Review] [76 refs]." Intensive Care Medicine 26(7): 848-56.
			Guido, S. and R. T. Tranquillo (1993). "A Methodology for the Systematic and Quantitative Study of Cell Contact Guidance in Oriented Collagen Gels - Correlation of Fibroblast Orientation and Gel Birefringence." Journal of Cell Science 105: 317-331.
			Gurses-Ozden, R., H. Ishikawa, et al. (1999). "Increasing sampling density improves reproducibility of optical coherence tomography measurements." Journal of Glaucoma 8(4): 238-41.
			Guzzi, R. (1998). "Scattering Theory from Homogeneous and Coated Spheres." 1-11.
			Haberland, U. B., Vladimir; Schmitt, Hans J. (1996). "Optical coherent tomography of scattering media using electrically tunable near-infrared semiconductor laser." Applied Optics Draft Copy.
			Haberland, U. R., Walter; Blazek, Vladimir; Schmitt, Hans J. (1995). "Investigation of highly scattering media using near-infrared continuous wave tunable semiconductor laser." Proc. SPIE , 2389: 503-512.
			Hale, G. M. and M. R. Querry (1973). "Optical-Constants of Water in 200-Nm to 200-Mum Wavelength Region." Applied Optics 12(3): 555-563.
			Hammer, D. X., R. D. Ferguson, et al. (2002). "Image stabilization for scanning laser ophthalmoscopy." Optics Express 10(26): 1542.
RSS			Hara, T., Y. Ooi, et al. (1989). "Transfer Characteristics of the Microchannel Spatial Light-Modulator." Applied Optics 28(22): 4781-4786.

Examiner	Date Considered
	06/13/2006

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce (REV. 2-82) Patent and Trademark Office	Atty. Docket No.	Serial No.
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)	186599/US/2 – 475387-00153	10/016,244
	Applicant(s) Guillermo J. Tearney et al.	
	Filing Date October 30, 2001	Group 3737

RSS			Harland, C. C., S. G. Kale, et al. (2000). "Differentiation of common benign pigmented skin lesions from melanoma by high-resolution ultrasound." British Journal of Dermatology 143(2): 281-289.
			Hartl, I., X. D. Li, et al. (2001). "Ultrahigh-resolution optical coherence tomography using continuum generation in an air-silica microstructure optical fiber." Optics Letters 26(9): 608-610.
			Hassenstein, A., A. A. Bialasiewicz, et al. (2000). "Optical coherence tomography in uveitis patients." American Journal of Ophthalmology 130(5): 669-70.
			Hattenhauer, M. G., D. H. Johnson, et al. (1998). "The probability of blindness from open-angle glaucoma. [see comments]." Ophthalmology 105(11): 2099-104.
			Hausler, G., J. M. Herrmann, et al. (1996). "Observation of light propagation in volume scatterers with 10(11)-fold slow motion." Optics Letters 21(14): 1087-1089.
			Hazebroek, H. F. and A. A. Holscher (1973). "Interferometric Ellipsometry." Journal of Physics E-Scientific Instruments 6(9): 822-826.
			Hazebroek, H. F. and W. M. Visser (1983). "Automated Laser Interferometric Ellipsometry and Precision Reflectometry." Journal of Physics E-Scientific Instruments 16(7): 654-661.
			He, Z. Y., N. Mukohzaka, et al. (1997). "Selective image extraction by synthesis of the coherence function using two-dimensional optical lock-in amplifier with microchannel spatial light modulator." Ieee Photonics Technology Letters 9(4): 514-516.
			Hee, M. R., J. A. Izatt, et al. (1993). "Femtosecond Transillumination Optical Coherence Tomography." Optics Letters 18(12): 950-952.
			Hee, M. R., J. A. Izatt, et al. (1995). "Optical coherence tomography of the human retina." Archives of Ophthalmology 113(3): 325-32.
			Hee, M. R., C. A. Puliafito, et al. (1998). "Topography of diabetic macular edema with optical coherence tomography." Ophthalmology 105(2): 360-70.
RSS			Hee, M. R., C. A. Puliafito, et al. (1995). "Quantitative assessment of macular edema with optical coherence tomography." Archives of Ophthalmology 113(8): 1019-29.

Examiner	Date Considered	06/13/2006

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce (REV. 2-82) Patent and Trademark Office	Atty. Docket No.	Serial No.
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)	186599/US/2 – 475387-00153	10/016,244
	Applicant(s) Guillermo J. Tearney et al.	
	Filing Date October 30, 2001	Group 3737

RSS			Hellmuth, T. and M. Welle (1998). "Simultaneous measurement of dispersion, spectrum, and distance with a fourier transform spectrometer." Journal of Biomedical Optics 3(1): 7-11.
			Hemenger, R. P. (1989). "Birefringence of a medium of tenuous parallel cylinders." APPLIED OPTICS 28(18): 4030-4034.
			Henry, M. (1981). "Fresnel-Arago Laws for Interference in Polarized-Light - Demonstration Experiment." American Journal of Physics 49(7): 690-691.
			Herz, P. R., Y. Chen, et al. (2004). "Micromotor endoscope catheter for in vivo, ultrahigh-resolution optical coherence tomography." Optics Letters 29(19): 2261-2263.
			Hirakawa, H., H. Iijima, et al. (1999). "Optical coherence tomography of cystoid macular edema associated with retinitis pigmentosa." American Journal of Ophthalmology 128(2): 185-91.
			Hitzenberger, C. K., A. Baumgartner, et al. (1994). "Interferometric Measurement of Corneal Thickness with Micrometer Precision." American Journal of Ophthalmology 118(4): 468-476.
			Hitzenberger, C. K., A. Baumgartner, et al. (1999). "Dispersion effects in partial coherence interferometry: Implications for intraocular ranging." Journal of Biomedical Optics 4(1): 144-151.
			Hitzenberger, C. K., A. Baumgartner, et al. (1998). "Dispersion induced multiple signal peak splitting in partial coherence interferometry." Optics Communications 154 (4): 179-185.
			Hitzenberger, C. K., M. Danner, et al. (1999). "Measurement of the spatial coherence of superluminescent diodes." Journal of Modern Optics 46(12): 1763-1774.
			Hitzenberger, C. K. and A. F. Fercher (1999). "Differential phase contrast in optical coherence tomography." Optics Letters 24(9): 622-624.
			Hitzenberger, C. K., M. Sticker, et al. (2001). "Differential phase measurements in low-coherence interferometry without 2 pi ambiguity." Optics Letters 26(23): 1864-1866.
RSS			Hoeling, B. M., A. D. Fernandez, et al. (2000). "An optical coherence microscope for 3-dimensional imaging in developmental biology." Optics Express 6(7): 136-146.

Examiner	Date Considered
	06/13/2006

* . Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce (REV. 2-82) Patent and Trademark Office	Atty. Docket No.	Serial No.
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)	186599/US/2 – 475387-00153	10/016,244
	Applicant(s) Guillermo J. Tearney et al.	
	Filing Date October 30, 2001	Group 3737

RSS			Hoerauf, H., C. Scholz, et al. (2002). "Transscleral optical coherence tomography: a new imaging method for the anterior segment of the eye." Archives of Ophthalmology 120(6): 816-9.
			Hoffmann, K., M. Happe, et al. (1998). "Optical coherence tomography (OCT) in dermatology." Journal of Investigative Dermatology 110(4): 583-583.
			Hoh, S. T., D. S. Greenfield, et al. (2000). "Optical coherence tomography and scanning laser polarimetry in normal, ocular hypertensive, and glaucomatous eyes." American Journal of Ophthalmology 129(2): 129-35.
			Hohenleutner, U., M. Hilbert, et al. (1995). "Epidermal Damage and Limited Coagulation Depth with the Flashlamp-Pumped Pulsed Dye-Laser - a Histochemical-Study." Journal of Investigative Dermatology 104(5): 798-802.
			Holland, A. J. A., H. C. O. Martin, et al. (2002). "Laser Doppler imaging prediction of burn wound outcome in children." Burns 28(1): 11-17.
			Hotate, K. and T. Okugawa (1994). "Optical Information-Processing by Synthesis of the Coherence Function." Journal of Lightwave Technology 12(7): 1247-1255.
			Hourdakis, C. J. and A. Perris (1995). "A Monte-Carlo Estimation of Tissue Optical-Properties for Use in Laser Dosimetry." Physics in Medicine and Biology 40(3): 351-364.
			Hu, Z., F. Li, et al. (2000). "Wavelength-tunable narrow-linewidth semiconductor fiber-ring laser." IEEE Photonics Technology Letters 12(8): 977-979.
			Huang, F., W. Yang, et al. (2001). "Quadrature spectral interferometric detection and pulse shaping." Optics Letters 26(6): 382-384.
			Huang, X. R. and R. W. Knighton (2002). "Linear birefringence of the retinal nerve fiber layer measured in vitro with a multispectral imaging micropolarimeter." Journal of Biomedical Optics 7(2): 199-204.
RSS			Huber, R., M. Wojtkowski, et al. (2005). "Amplified, frequency swept lasers for frequency domain reflectometry and OCT imaging: design and scaling principles." Optics Express 13(9): 3513-3528.

Examiner	Date Considered
	06/13/2006

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce (REV. 2-82) Patent and Trademark Office	Atty. Docket No.	Serial No.
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)	186599/US/2 – 475387-00153	10/016,244
	Applicant(s) Guillermo J. Tearney et al.	
	Filing Date October 30, 2001	Group 3737

RSS			Hunter, D. G., J. C. Sandruck, et al. (1999). "Mathematical modeling of retinal birefringence scanning." Journal of the Optical Society of America a-Optics Image Science and Vision 16(9): 2103-2111.
			Hurwitz, H. H. and R. C. Jones (1941). "A new calculus for the treatment of optical systems II. Proof of three general equivalence theorems." Journal of the Optical Society of America 31(7): 493-499.
			Huttner, B., C. De Barros, et al. (1999). "Polarization-induced pulse spreading in birefringent optical fibers with zero differential group delay." Optics Letters 24(6): 370-372.
			Huttner, B., B. Gisin, et al. (1999). "Distributed PMD measurement with a polarization-OTDR in optical fibers." Journal of Lightwave Technology 17(10): 1843-1848.
			Huttner, B., J. Reecht, et al. (1998). "Local birefringence measurements in single-mode fibers with coherent optical frequency-domain reflectometry." Ieee Photonics Technology Letters 10(10): 1458-1460.
			Hyde, S. C. W., N. P. Barry, et al. (1995). "Sub-100-Mu-M Depth-Resolved Holographic Imaging through Scattering Media in the near-Infrared." Optics Letters 20(22): 2330-2332.
			Hyde, S. C. W., N. P. Barry, et al. (1995). "Depth-Resolved Holographic Imaging through Scattering Media by Photorefraction." Optics Letters 20(11): 1331-1333.
			Iftimia, N. V., B. E. Bouma, et al. (2004). "Adaptive ranging for optical coherence tomography." Optics Express 12(17): 4025-4034.
			Iida, T., N. Hagimura, et al. (2000). "Evaluation of central serous chorioretinopathy with optical coherence tomography." American Journal of Ophthalmology 129(1): 16-20.
			Imai, M., H. Iijima, et al. (2001). "Optical coherence tomography of tractional macular elevations in eyes with proliferative diabetic retinopathy. [republished in Am J Ophthalmol. 2001 Sep;132(3):458-61 ; 11530091.]." American Journal of Ophthalmology 132(1): 81-4.
RSS			Indebetouw, G. and P. Klysubun (2000). "Imaging through scattering media with depth resolution by use of low-coherence gating in spatiotemporal digital holography." Optics Letters 25(4): 212-214.

Examiner	Date Considered
	06/13/2006

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce (REV. 2-82) Patent and Trademark Office	Atty. Docket No.	Serial No.
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)	186599/US/2 – 475387-00153	10/016,244
	Applicant(s) Guillermo J. Tearney et al.	
	Filing Date October 30, 2001	Group 3737

RSS			Ip, M. S., B. J. Baker, et al. (2002). "Anatomical outcomes of surgery for idiopathic macular hole as determined by optical coherence tomography." Archives of Ophthalmology 120(1): 29-35.
			Ismail, R., V. Tanner, et al. (2002). "Optical coherence tomography imaging of severe commotio retinae and associated macular hole." British Journal of Ophthalmology 86(4): 473-4.
			Izatt, J. A., M. R. Hee, et al. (1994). "Optical Coherence Microscopy in Scattering Media." Optics Letters 19(8): 590-592.
			Izatt, J. A., M. R. Hee, et al. (1994). "Micrometer-scale resolution imaging of the anterior eye in vivo with optical coherence tomography." Archives of Ophthalmology 112 (12): 1584-9.
			Izatt, J. A., M. D. Kulkami, et al. (1997). "In vivo bidirectional color Doppler flow imaging of picoliter blood volumes using optical coherence tomography." Optics Letters 22(18): 1439-1441.
			Izatt, J. A., M. D. Kulkarni, et al. (1996). "Optical coherence tomography and microscopy in gastrointestinal tissues." IEEE Journal of Selected Topics in Quantum Electronics 2(4): 1017.
			Jacques, S. L., J. S. Nelson, et al. (1993). "Pulsed Photothermal Radiometry of Port-Wine-Stain Lesions." Applied Optics 32(13): 2439-2446.
			Jacques, S. L., J. R. Roman, et al. (2000). "Imaging superficial tissues with polarized light." Lasers in Surgery and Medicine 26(2): 119-129.
			Jang, I. K., B. E. Bouma, et al. (2002). "Visualization of coronary atherosclerotic plaques in patients using optical coherence tomography: Comparison with intravascular ultrasound." Journal of the American College of Cardiology 39(4): 604-609.
			Jang, I. K., B. D. MacNeill, et al. (2002). "In-vivo characterization of coronary plaques in patients with ST elevation acute myocardial infarction using optical coherence tomography (OCT)." Circulation 106(19): 698-698 3440 Suppl. S,.
RSS			Jang, I. K., G. J. Tearney, et al. (2000). "Comparison of optical coherence tomography and intravascular ultrasound for detection of coronary plaques with large lipid-core in living patients." Circulation 102(18): 509-509.

Examiner

Date Considered 06/13/2006

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce (REV. 2-82) Patent and Trademark Office	Atty. Docket No.	Serial No.
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)	186599/US/2 – 475387-00153	10/016,244
	Applicant(s) Guillermo J. Tearney et al.	
	Filing Date October 30, 2001	Group 3737

RSS			Jeng, J. C., A. Bridgeman, et al. (2003). "Laser Doppler imaging determines need for excision and grafting in advance of clinical judgment: a prospective blinded trial." Burns 29(7): 665-670.
			Jesser, C. A., S. A. Boppart, et al. (1999). "High resolution imaging of transitional cell carcinoma with optical coherence tomography: feasibility for the evaluation of bladder pathology." British Journal of Radiology 72: 1170-1176.
			Johnson, C. A., J. L. Keltner, et al. (2002). "Baseline visual field characteristics in the ocular hypertension treatment study." Ophthalmology 109(3): 432-7.
			Jones, R. C. (1941). "A new calculus for the treatment of optical systems III. The Sohncke theory of optical activity." Journal of the Optical Society of America 31 (7): 500-503.
			Jones, R. C. (1941). "A new calculus for the treatment of optical systems I. Description and discussion of the calculus." Journal of the Optical Society of America 31(7): 488-493.
			Jones, R. C. (1942). "A new calculus for the treatment of optical systems. IV." Journal of the Optical Society of America 32(8): 486-493.
			Jones, R. C. (1947). "A New Calculus for the Treatment of Optical Systems .6. Experimental Determination of the Matrix." Journal of the Optical Society of America 37(2): 110-112.
			Jones, R. C. (1947). "A New Calculus for the Treatment of Optical Systems .5. A More General Formulation, and Description of Another Calculus." Journal of the Optical Society of America 37(2): 107-110.
			Jones, R. C. (1948). "A New Calculus for the Treatment of Optical Systems .7. Properties of the N-Matrices." Journal of the Optical Society of America 38(8): 671-685.
			Jones, R. C. (1956). "New Calculus for the Treatment of Optical Systems .8. Electromagnetic Theory." Journal of the Optical Society of America 46(2): 126-131.
RSS			Jopson, R. M., L. E. Nelson, et al. (1999). "Measurement of second-order polarization-mode dispersion vectors in optical fibers." Ieee Photonics Technology Letters 11 (9): 1153-1155.

Examiner	Date Considered
	06/13/2006

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce (REV. 2-82) Patent and Trademark Office	Atty. Docket No. 186599/US/2 – 475387-00153	Serial No. 10/016,244
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)	Applicant(s) Guillermo J. Tearney et al.	
	Filing Date October 30, 2001	Group 3737

RSS			Jost, B. M., A. V. Sergienko, et al. (1998). "Spatial correlations of spontaneously down-converted photon pairs detected with a single-photon-sensitive CCD camera." Optics Express 3(2): 81-88.
			Kaplan, B., E. Compain, et al. (2000). "Phase-modulated Mueller ellipsometry characterization of scattering by latex sphere suspensions." Applied Optics 39 (4): 629-636.
			Kass, M. A., D. K. Heuer, et al. (2002). "The Ocular Hypertension Treatment Study: a randomized trial determines that topical ocular hypotensive medication delays or prevents the onset of primary open-angle glaucoma." Archives of Ophthalmology 120(6): 701-13; discussion 829-30.
			Kasuga, Y., J. Arai, et al. (2000). "Optical coherence tomograghy to confirm early closure of macular holes." American Journal of Ophthalmology 130(5): 675-6.
			Kaufman, T., S. N. Lusthaus, et al. (1990). "Deep Partial Skin Thickness Burns – a Reproducible Animal-Model to Study Burn Wound-Healing." Burns 16(1): 13-16.
			Kemp, N. J., J. Park, et al. (2005). "High-sensitivity determination of birefringence in turbid media with enhanced polarization-sensitive optical coherence tomography." Journal of the Optical Society of America a-Optics Image Science and Vision 22(3): 552-560.
			Kerrigan-Baumrind, L. A., H. A. Quigley, et al. (2000). "Number of ganglion cells in glaucoma eyes compared with threshold visual field tests in the same persons." Investigative Ophthalmology & Visual Science 41(3): 741-8.
			Kesen, M. R., G. L. Spaeth, et al. (2002). "The Heidelberg Retina Tomograph vs clinical impression in the diagnosis of glaucoma." American Journal of Ophthalmology 133(5): 613-6.
			Kienle, A. and R. Hibst (1995). "A New Optimal Wavelength for Treatment of Port-Wine Stains." Physics in Medicine and Biology 40(10): 1559-1576.
			Kienle, A., L. Lilge, et al. (1996). "Spatially resolved absolute diffuse reflectance measurements for noninvasive determination of the optical scattering and absorption coefficients of biological tissue." Applied Optics 35(13): 2304-2314.
RSS			Kim, B. Y. and S. S. Choi (1981). "Analysis and Measurement of Birefringence in Single-Mode Fibers Using the Backscattering Method." Optics Letters 6(11): 578-580.

Examiner	Date Considered
	06/13/2006

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce (REV. 2-82) Patent and Trademark Office	Atty. Docket No.	Serial No.
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)	186599/US/2 – 475387-00153	10/016,244
	Applicant(s) Guillermo J. Tearney et al.	
	Filing Date October 30, 2001	Group 3737

RSS			Kimel, S., L. O. Svaasand, et al. (1994). "Differential Vascular-Response to Laser Photothermolysis." Journal of Investigative Dermatology 103(5): 693-700.
			Kloppenberg, F. W. H., G. Beerthuizen, et al. (2001). "Perfusion of burn wounds assessed by Laser Doppler Imaging is related to burn depth and healing time." Burns 27(4): 359-363.
			Knighton, R. W. and X. R. Huang (2002). "Analytical methods for scanning laser polarimetry." Optics Express 10(21): 1179-1189.
			Knighton, R. W., X. R. Huang, et al. (2002). "Analytical model of scanning laser polarimetry for retinal nerve fiber layer assessment." Investigative Ophthalmology & Visual Science 43(2): 383-392.
			Knuettel, A. R. S., Joseph M.: Shay, M.; Knutson, Jay R. (1994). "Stationary low-coherence light imaging and spectroscopy using a CCD camera." Proc. SPIE , Vol. 2135: p. 239-250.
			Knuttel, A. and M. Boehlau-Godau (2000). "Spatially confined and temporally resolved refractive index and scattering evaluation in human skin performed with optical coherence tomography." Journal of Biomedical Optics 5(1): 83-92.
			Knuttel, A. and J. M. Schmitt (1993). "Stationary Depth-Profiling Reflectometer Based on Low-Coherence Interferometry." Optics Communications 102(3-4): 193-198.
			Knuttel, A., J. M. Schmitt, et al. (1994). "Low-Coherence Reflectometry for Stationary Lateral and Depth Profiling with Acoustooptic Deflectors and a Ccd Camera." Optics Letters 19(4): 302-304.
			Kobayashi, M., H. Hanafusa, et al. (1991). "Polarization-Independent Interferometric Optical-Time-Domain Reflectometer." Journal of Lightwave Technology 9(5): 623-628.
			Kolios, M. C., M. D. Sherar, et al. (1995). "Large Blood-Vessel Cooling in Heated Tissues - a Numerical Study." Physics in Medicine and Biology 40(4): 477-494.
RSS			Koozekanani, D., K. Boyer, et al. (2001). "Retinal thickness measurements from optical coherence tomography using a Markov boundary model." Ieee Transactions on Medical Imaging 20(9): 900-916.

Examiner	Date Considered
	06/13/2006

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce (REV. 2-82) Patent and Trademark Office	Atty. Docket No.	Serial No.
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)	186599/US/2 – 475387-00153	10/016,244
	Applicant(s) Guillermo J. Tearney et al.	
	Filing Date October 30, 2001	Group 3737

RSS			Kop, R. H. J. and R. Sprik (1995). "Phase-sensitive interferometry with ultrashort optical pulses." Review of Scientific Instruments 66(12): 5459-5463.
			Kramer, R. Z., J. Bella, et al. (1999). "Sequence dependent conformational variations of collagen triple-helical structure." Nature Structural Biology 6(5): 454-7.
			Kulkarni, M. D., T. G. van Leeuwen, et al. (1998). "Velocity-estimation accuracy and frame-rate limitations in color Doppler optical coherence tomography." Optics Letters 23(13): 1057-1059.
			Kwon, Y. H., C. S. Kim, et al. (2001). "Rate of visual field loss and long-term visual outcome in primary open-angle glaucoma." American Journal of Ophthalmology 132(1): 47-56.
			Kwong, K. F., D. Yankelevich, et al. (1993). "400-Hz Mechanical Scanning Optical Delay-Line." Optics Letters 18(7): 558-560.
			Landers, J., I. Goldberg, et al. (2002). "Analysis of risk factors that may be associated with progression from ocular hypertension to primary open angle glaucoma." Clin Experiment Ophthalmogy 30(4): 242-7.
			Laszlo, A. and A. Venetianer (1998). Heat resistance in mammalian cells: Lessons and challenges. Stress of Life. 851: 169-178.
			Laszlo, A. and A. Venetianer (1998). "Heat resistance in mammalian cells: lessons and challenges. [Review] [52 refs]." Annals of the New York Academy of Sciences 851: 169-78.
			Laufer, J., R. Simpson, et al. (1998). "Effect of temperature on the optical properties of ex vivo human dermis and subdermis." Physics in Medicine and Biology 43(9): 2479-2489.
			Lederer, D. E., J. S. Schuman, et al. (2003). "Analysis of macular volume in normal and glaucomatous eyes using optical coherence tomography." American Journal of Ophthalmology 135(6): 838-843.
RSS			Lee, P. P., Z. W. Feldman, et al. (2003). "Longitudinal prevalence of major eye diseases." Archives of Ophthalmology 121(9): 1303-1310.

Examiner	Date Considered
	06/13/2006

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce (REV. 2-82) Patent and Trademark Office	Atty. Docket No.	Serial No.
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)	186599/US/2 – 475387-00153	10/016,244
	Applicant(s) Guillermo J. Tearney et al.	
	Filing Date October 30, 2001	Group 3737

RSS			Lehrer, M. S., T. T. Sun, et al. (1998). "Strategies of epithelial repair: modulation of stem cell and transit amplifying cell proliferation." Journal of Cell Science 111(Pt 19): 2867-75.
			Leibowitz, H. M., D. E. Krueger, et al. (1980). "The Framingham Eye Study monograph: An ophthalmological and epidemiological study of cataract, glaucoma, diabetic retinopathy, macular degeneration, and visual acuity in a general population of 2631 adults, 1973-1975." Survey of Ophthalmology 24(Suppl): 335-610.
			Leitgeb, R., C. K. Hitzenberger, et al. (2003). "Performance of fourier domain vs. time domain optical coherence tomography." Optics Express 11(8): 889-894.
			Leitgeb, R., L. F. Schmetterer, et al. (2002). "Flow velocity measurements by frequency domain short coherence interferometry." Proc. SPIE 4619: 16-21.
			Leitgeb, R. A., W. Drexler, et al. (2004). "Ultrahigh resolution Fourier domain optical coherence tomography." Optics Express 12(10): 2156-2165.
			Leitgeb, R. A., C. K. Hitzenberger, et al. (2003). "Phase-shifting algorithm to achieve high-speed long-depth-range probing by frequency-domain optical coherence tomography." Optics Letters 28(22): 2201-2203.
			Leitgeb, R. A., L. Schmetterer, et al. (2003). "Real-time assessment of retinal blood flow with ultrafast acquisition by color Doppler Fourier domain optical coherence tomography." Optics Express 11(23): 3116-3121.
			Leitgeb, R. A., L. Schmetterer, et al. (2004). "Real-time measurement of in vitro flow by Fourier-domain color Doppler optical coherence tomography." Optics Letters 29 (2): 171-173.
			LeRoyBrehonnet, F. and B. LeJeune (1997). "Utilization of Mueller matrix formalism to obtain optical targets depolarization and polarization properties." Progress in Quantum Electronics 21(2): 109-151.
			Leske, M. C., A. M. Connell, et al. (1995). "Risk factors for open-angle glaucoma. The Barbados Eye Study. [see comments]." Archives of Ophthalmology 113(7): 918-24.
RSS			Leske, M. C., A. M. Connell, et al. (2001). "Incidence of open-angle glaucoma: the Barbados Eye Studies. The Barbados Eye Studies Group. [see comments]." Archives of Ophthalmology 119(1): 89-95.

Examiner	Date Considered
	06/13/2006

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce (REV. 2-82) Patent and Trademark Office	Atty. Docket No.	Serial No.
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)	186599/US/2 – 475387-00153	10/016,244
	Applicant(s) Guillermo J. Tearney et al.	
	Filing Date October 30, 2001	Group 3737

RSS			Leske, M. C., A. Heijl, et al. (1999). "Early Manifest Glaucoma Trial. Design and Baseline Data." Ophthalmology 106(11): 2144-2153.
			Lewis, S. E., J. R. DeBoer, et al. (2005). "Sensitive, selective, and analytical improvements to a porous silicon gas sensor." Sensors and Actuators B: Chemical 110(1): 54-65.
			Lexer, F., C. K. Hitzenberger, et al. (1999). "Dynamic coherent focus OCT with depth- independent transversal resolution." Journal of Modern Optics 46(3): 541-553.
			Li, X., C. Chudoba, et al. (2000). "Imaging needle for optical coherence tomography." Optics Letters 25: 1520-1522.
			Li, X., T. H. Ko, et al. (2001). "Intraluminal fiber-optic Doppler imaging catheter for structural and functional optical coherence tomography." Optics Letters 26: 1906-1908.
			Liddington, M. I. and P. G. Shakespeare (1996). "Timing of the thermographic assessment of burns." Burns 22(1): 26-8.
			Lindmo, T., D. J. Smithies, et al. (1998). "Accuracy and noise in optical Doppler tomography studied by Monte Carlo simulation." Physics in Medicine and Biology 43(10): 3045-3064.
			Liu, J., X. Chen, et al. (1999). "New thermal wave aspects on burn evaluation of skin subjected to instantaneous heating." IEEE Transactions on Biomedical Engineering 46(4): 420-8.
			Luke, D. G., R. McBride, et al. (1995). "Polarization mode dispersion minimization in fiber-wound piezoelectric cylinders." Optics Letters 20(24): 2550-2552.
			MacNeill, B. D., I. K. Jang, et al. (2004). "Focal and multi-focal plaque distributions in patients with macrophage acute and stable presentations of coronary artery disease." Journal of the American College of Cardiology 44(5): 972-979.
RSS			Mahgerefteh, D. and C. R. Menyuk (1999). "Effect of first-order PMD compensation on the statistics of pulse broadening in a fiber with randomly varying birefringence." Ieee Photonics Technology Letters 11(3): 340-342.

Examiner | Date Considered 06/13/2006

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce (REV. 2-82) Patent and Trademark Office	Atty. Docket No.	Serial No.
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)	186599/US/2 – 475387-00153	10/016,244
	Applicant(s) Guillermo J. Tearney et al.	
	Filing Date October 30, 2001	Group 3737

RSS			Maitland, D. J. and J. T. Walsh, Jr. (1997). "Quantitative measurements of linear birefringence during heating of native collagen." Lasers in Surgery & Medicine 20 (3): 310-8.
			Majaron, B., S. M. Srinivas, et al. (2000). "Deep coagulation of dermal collagen with repetitive Er : YAG laser irradiation." Lasers in Surgery and Medicine 26(2): 215-222.
			Mansuripur, M. (1991). "Effects of High-Numerical-Aperture Focusing on the State of Polarization in Optical and Magnetooptic Data-Storage Systems." Applied Optics 30(22): 3154-3162.
			Marshall, G. W., S. J. Marshall, et al. (1997). "The dentin substrate: structure and properties related to bonding." Journal of Dentistry 25(6): 441-458.
			Martin, P. (1997). "Wound healing - Aiming for perfect skin regeneration." Science 276 (5309): 75-81.
			Martinez, O. E. (1987). "3000 Times Grating Compressor with Positive Group-Velocity Dispersion - Application to Fiber Compensation in 1.3-1.6 Mu-M Region." Ieee Journal of Quantum Electronics 23(1): 59-64.
			Martinez, O. E., J. P. Gordon, et al. (1984). "Negative Group-Velocity Dispersion Using Refraction." Journal of the Optical Society of America a-Optics Image Science and Vision 1(10): 1003-1006.
			McKinney, J. D., M. A. Webster, et al. (2000). "Characterization and imaging in optically scattering media by use of laser speckle and a variable-coherence source." Optics Letters 25(1): 4-6.
			Miglior, S., M. Casula, et al. (2001). "Clinical ability of Heidelberg retinal tomograph examination to detect glaucomatous visual field changes." Ophthalmology 108 (9): 1621-7.
			Milner, T. E., D. M. Goodman, et al. (1996). "Imaging laser heated subsurface chromophores in biological materials: Determination of lateral physical dimensions." Physics in Medicine and Biology 41(1): 31-44.
RSS			Milner, T. E., D. M. Goodman, et al. (1995). "Depth Profiling of Laser-Heated Chromophores in Biological Tissues by Pulsed Photothermal Radiometry." Journal of the Optical Society of America a-Optics Image Science and Vision 12 (7): 1479-1488.

Examiner	Date Considered
	06/13/2006

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce (REV. 2-82) Patent and Trademark Office	Atty. Docket No.	Serial No.
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)	186599/US/2 – 475387-00153	10/016,244
	Applicant(s) Guillermo J. Tearney et al.	
	Filing Date October 30, 2001	Group 3737

RSS			Milner, T. E., D. J. Smithies, et al. (1996). "Depth determination of chromophores in human skin by pulsed photothermal radiometry." Applied Optics 35(19): 3379-3385.
			Mishchenko, M. I. and J. W. Hovenier (1995). "Depolarization of Light Backscattered by Randomly Oriented Nonspherical Particles." Optics Letters 20(12): 1356-&.
			Mistlberger, A., J. M. Liebmann, et al. (1999). "Heidelberg retina tomography and optical coherence tomography in normal, ocular-hypertensive, and glaucomatous eyes." Ophthalmology 106(10): 2027-32.
			Mitsui, T. (1999). "High-speed detection of ballistic photons propagating through suspensions using spectral interferometry." Japanese Journal of Applied Physics Part 1-Regular Papers Short Notes & Review Papers 38(5A): 2978-2982.
			Molteno, A. C., N. J. Bosma, et al. (1999). "Otago glaucoma surgery outcome study: long-term results of trabeculectomy--1976 to 1995." Ophthalmology 106(9): 1742-50.
			Morgner, U., W. Drexler, et al. (2000). "Spectroscopic optical coherence tomography." Optics Letters 25(2): 111-113.
			Morgner, U., F. X. Kartner, et al. (1999). "Sub-two-cycle pulses from a Kerr-lens mode-locked Ti : sapphire laser (vol 24, pg 411, 1999)." Optics Letters 24(13): 920-920.
			Mourant, J. R., A. H. Hielscher, et al. (1998). "Evidence of intrinsic differences in the light scattering properties of tumorigenic and nontumorigenic cells." Cancer Cytopathology 84(6): 366-374.
			Muller, M., J. Squier, et al. (1998). "Dispersion pre-compensation of 15 femtosecond optical pulses for high-numerical-aperture objectives." Journal of Microscopy-Oxford 191: 141-150.
			Muscat, S., N. McKay, et al. (2002). "Repeatability and reproducibility of corneal thickness measurements by optical coherence tomography." Investigative Ophthalmology & Visual Science 43(6): 1791-5.
RSS			Musch, D. C., P. R. Lichter, et al. (1999). "The Collaborative Initial Glaucoma Treatment Study. Study Design, Methods, and Baseline Characteristics of Enrolled Patients." Ophthalmology 106: 653-662.

Examiner	Date Considered
	06/13/2006

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce (REV. 2-82) Patent and Trademark Office	Atty. Docket No.	Serial No.
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)	186599/US/2 – 475387-00153	10/016,244
	Applicant(s) Guillermo J. Tearney et al.	
	Filing Date October 30, 2001	Group 3737

RSS			Neerken, S., Lucassen, G.W., Bisschop, M.A., Lenderink, E., Nuijs, T.A.M. (2004). "Characterization of age-related effects in human skin: A comparative study that applies confocal laser scanning microscopy and optical coherence tomography." Journal of Biomedical Optics 9(2): 274-281.
			Nelson, J. S., K. M. Kelly, et al. (2001). "Imaging blood flow in human port-wine stain in situ and in real time using optical Doppler tomography." Archives of Dermatology 137(6): 741-744.
			Newson, T. P., F. Farahi, et al. (1988). "Combined Interferometric and Polarimetric Fiber Optic Temperature Sensor with a Short Coherence Length Source." Optics Communications 68(3): 161-165.
			November, L. J. (1993). "Recovery of the Matrix Operators in the Similarity and Congruency Transformations - Applications in Polarimetry." Journal of the Optical Society of America a-Optics Image Science and Vision 10(4): 719-739.
			Oh, W. Y., S. H. Yun, et al. (2005). "Wide tuning range wavelength-swept laser with two semiconductor optical amplifiers." Ieee Photonics Technology Letters 17(3): 678- 680.
			Oka, K. and T. Kato (1999). "Spectroscopic polarimetry with a channeled spectrum." Optics Letters 24(21): 1475-1477.
			Okugawa, T. and K. Rotate (1996). "Real-time optical image processing by synthesis of the coherence function using real-time holography." Ieee Photonics Technology Letters 8(2): 257-259.
			Oshima, M., R. Torii, et al. (2001). "Finite element simulation of blood flow in the cerebral artery." Computer Methods in Applied Mechanics and Engineering 191 (6-7): 661-671.
			Pan, Y. T., H. K. Xie, et al. (2001). "Endoscopic optical coherence tomography based on a microelectromechanical mirror." Optics Letters 26(24): 1966-1968.
			Parisi, V., G. Manni, et al. (2001). "Correlation between optical coherence tomography, pattern electroretinogram, and visual evoked potentials in open-angle glaucoma patients." Ophthalmology 108(5): 905-12.
RSS			Park, B. H., M. C. Pierce, et al. (2005). "Real-time fiber-based multi-functional spectral-domain optical coherence tomography at 1.3 mu m." Optics Express 13(11): 3931-3944.

Examiner	Date Considered
	06/13/2006

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce (REV. 2-82) Patent and Trademark Office	Atty. Docket No.	Serial No.
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)	186599/US/2 – 475387-00153	10/016,244
	Applicant(s) Guillermo J. Tearney et al.	
	Filing Date October 30, 2001	Group 3737

RSS			Park, D. H., J. W. Hwang, et al. (1998). "Use of laser Doppler flowmetry for estimation of the depth of burns." Plastic and Reconstructive Surgery 101(6): 1516-1523.
			Pendry, J. B., A. J. Holden, et al. (1999). "Magnetism from conductors and enhanced nonlinear phenomena." Ieee Transactions on Microwave Theory and Techniques 47(11): 2075-2084.
			Penninckx, D. and V. Morenas (1999). "Jones matrix of polarization mode dispersion." Optics Letters 24(13): 875-877.
			Pierce, M. C., M. Shishkov, et al. (2005). "Effects of sample arm motion in endoscopic polarization-sensitive optical coherence tomography." Optics Express 13(15): 5739-5749
			Pircher, M., E. Gotzinger, et al. (2003). "Measurement and imaging of water concentration in human cornea with differential absorption optical coherence tomography." Optics Express 11(18): 2190-2197.
			Pircher, M., E. Gotzinger, et al. (2003). "Speckle reduction in optical coherence tomography by frequency compounding." Journal of Biomedical Optics 8(3): 565-569.
			Podoleanu, A. G., G. M. Dobre, et al. (1998). "En-face coherence imaging using galvanometer scanner modulation." Optics Letters 23(3): 147-149.
			Podoleanu, A. G. and D. A. Jackson (1999). "Noise analysis of a combined optical coherence tomograph and a confocal scanning ophthalmoscope." Applied Optics 38(10): 2116-2127.
			Podoleanu, A. G., J. A. Rogers, et al. (2000). "Three dimensional OCT images from retina and skin." Optics Express 7(9): 292-298.
			Podoleanu, A. G., M. Seeger, et al. (1998). "Transversal and longitudinal images from the retina of the living eye using low coherence reflectometry." Journal of Biomedical Optics 3(1): 12-20.
RSS			Poole, C. D. (1988). "Statistical Treatment of Polarization Dispersion in Single-Mode Fiber." Optics Letters 13(8): 687-689.

Examiner	Date Considered
	06/13/2006

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce (REV. 2-82) Patent and Trademark Office	Atty. Docket No.	Serial No.
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)	186599/US/2 – 475387-00153	10/016,244
	Applicant(s) Guillermo J. Tearney et al.	
	Filing Date October 30, 2001	Group 3737

RSS			Povazay, B., K. Bizheva, et al. (2002). "Submicrometer axial resolution optical coherence tomography." Optics Letters 27(20): 1800-1802.
			Qi, B., A. P. Himmer, et al. (2004). "Dynamic focus control in high-speed optical coherence tomography based on a microelectromechanical mirror." Optics Communications 232(1-6): 123-128.
			Radhakrishnan, S., A. M. Rollins, et al. (2001). "Real-time optical coherence tomography of the anterior segment at 1310 nm." Archives of Ophthalmology 119(8): 1179-1185.
			Rogers, A. J. (1981). "Polarization-Optical Time Domain Reflectometry - a Technique for the Measurement of Field Distributions." Applied Optics 20(6): 1060-1074.
			Rollins, A. M. and J. A. Izatt (1999). "Optimal interferometer designs for optical coherence tomography." Optics Letters 24(21): 1484-1486.
			Rollins, A. M., R. Ung-arunyawee, et al. (1999). "Real-time in vivo imaging of human gastrointestinal ultrastructure by use of endoscopic optical coherence tomography with a novel efficient interferometer design." Optics Letters 24(19): 1358-1360.
			Rollins, A. M., S. Yazdanfar, et al. (2002). "Real-time in vivo colors Doppler optical coherence tomography." Journal of Biomedical Optics 7(1): 123-129.
			Rollins, A. M., S. Yazdanfar, et al. (2000). "Imaging of human retinal hemodynamics using color Doppler optical coherence tomography." Investigative Ophthalmology & Visual Science 41(4): S548-S548.
			Sandoz, P. (1997). "Wavelet transform as a processing tool in white-light interferometry." Optics Letters 22(14): 1065-1067.
			Sankaran, V., M. J. Everett, et al. (1999). "Comparison of polarized-light propagation in biological tissue and phantoms." Optics Letters 24(15): 1044-1046.
RSS			Sankaran, V., J. T. Walsh, et al. (2000). "Polarized light propagation through tissue phanto, ehms containing densely packed scatterers." Optics Letters 25(4): 239-241

Examiner	Date Considered
	06/13/2006

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce (REV. 2-82) Patent and Trademark Office	Atty. Docket No.	Serial No.
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)	186599/US/2 – 475387-00153	10/016,244
	Applicant(s) Guillermo J. Tearney et al.	
	Filing Date October 30, 2001	Group 3737

RSS			Sarunic, M. V., M. A. Choma, et al. (2005). "Instantaneous complex conjugate resolved spectral domain and swept-source OCT using 3x3 fiber couplers." Optics Express 13(3): 957-967.
			Sathyam, U. S., B. W. Colston, et al. (1999). "Evaluation of optical coherence quantitation of analytes in turbid media by use of two wavelengths." Applied Optics 38(10): 2097-2104
			Schmitt, J. M. (1997). "Array detection for speckle reduction in optical coherence microscopy." Physics in Medicine and Biology 42(7): 1427-1439.
			Schmitt, J. M. (1999). "Optical coherence tomography (OCT): A review." Ieee Journal of Selected Topics in Quantum Electronics 5(4): 1205-1215.
			Schmitt, J. M. and A. Knuttel (1997). "Model of optical coherence tomography of heterogeneous tissue." Journal of the Optical Society of America a-Optics Image Science and Vision 14(6): 1231-1242.
			Schmitt, J. M., S. L. Lee, et al. (1997). "An optical coherence microscope with enhanced resolving power in thick tissue." Optics Communications 142(4-6): 203-207.
			Schmitt, J. M., S. H. Xiang, et al. (1998). "Differential absorption imaging with optical coherence tomography." Journal of the Optical Society of America a-Optics Image Science and Vision 15(9): 2288-2296.
			Schmitt, J. M., S. H. Xiang, et al. (1999). "Speckle in optical coherence tomography." Journal of Biomedical Optics 4(1): 95-105.
			Schmitt, J. M., M. J. Yadlowsky, et al. (1995). "Subsurface Imaging of Living Skin with Optical Coherence Microscopy." Dermatology 191(2): 93-98.
			Shi, H., J. Finlay, et al. (1997). "Multiwavelength 10-GHz picosecond pulse generation from a single-stripe semiconductor diode laser." Ieee Photonics Technology Letters 9(11): 1439-1441.
RSS			Shi, H., I. Nitta, et al. (1999). "Demonstration of phase correlation in multiwavelength mode-locked semiconductor diode lasers." Optics Letters 24(4): 238-240.

Examiner	Date Considered
	06/13/2006

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce (REV. 2-82) Patent and Trademark Office	Atty. Docket No.	Serial No.
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)	186599/US/2 – 475387-00153	10/016,244
	Applicant(s) Guillermo J. Tearney et al.	
	Filing Date October 30, 2001	Group 3737

RSS			Simon, R. (1982). "The Connection between Mueller and Jones Matrices of Polarization Optics." Optics Communications 42(5): 293-297.
			Smith, P. J. M., E.M.; Taylor, C.M.; Selviah, D.R.; Day, S.E.; Commander, L.G. "Variable-Focus Microlenses as a Potential Technology for Endoscopy."
			Smithies, D. J., T. Lindmo, et al. (1998). "Signal attenuation and localization in optical coherence tomography studied by Monte Carlo simulation." Physics in Medicine and Biology 43(10): 3025-3044.
			Sorin, W. V. and D. F. Gray (1992). "Simultaneous Thickness and Group Index Measurement Using Optical Low-Coherence Reflectometry." Ieee Photonics Technology Letters 4(1): 105-107.
			Sticker, M., C. K. Hitzenberger, et al. (2001). "Quantitative differential phase measurement and imaging in transparent and turbid media by optical coherence tomography." Optics Letters 26(8): 518-520.
			Sticker, M., M. Pircher, et al. (2002). "En face imaging of single cell layers by differential phase-contrast optical coherence microscopy." Optics Letters 27(13): 1126-1128.
			Stoller, P., B. M. Kim, et al. (2002). "Polarization-dependent optical second-harmonic imaging of a rat-tail tendon." Journal of Biomedical Optics 7(2): 205-214.
			Sun, C. S. (2003). "Multiplexing of fiber-optic acoustic sensors in a Michelson interferometer configuration." Optics Letters 28(12): 1001-1003.
			Swanson, E. A., J. A. Izatt, et al. (1993). "In-Vivo Retinal Imaging by Optical Coherence Tomography." Optics Letters 18(21): 1864-1866.
			Takada, K., A. Himeno, et al. (1991). "Phase-Noise and Shot-Noise Limited Operations of Low Coherence Optical-Time Domain Reflectometry." Applied Physics Letters 59(20): 2483-2485.
RSS			Takenaka, H. (1973). "Unified Formalism for Polarization Optics by Using Group-Theory I (Theory)." Japanese Journal of Applied Physics 12(2): 226-231.

Examiner	Date Considered
	06/13/2006

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce (REV. 2-82) Patent and Trademark Office	Atty. Docket No.	Serial No.
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)	186599/US/2 – 475387-00153	10/016,244
	Applicant(s) Guillermo J. Tearney et al.	
	Filing Date October 30, 2001	Group 3737

RSS			Tanno, N., T. Ichimura, et al. (1994). "Optical Multimode Frequency-Domain Reflectometer." Optics Letters 19(8): 587-589.
			Tan-no, N., T. Ichimura, et al. (1994). "Optical Multimode Frequency-Domain Reflectometer." Optics Letters 19(8): 587-589.
			Targowski, P., M. Wojtkowski, et al. (2004). "Complex spectral OCT in human eye imaging in vivo." Optics Communications 229(1-6): 79-84.
			Tearney, G. J., S. A. Boppart, et al. (1996). "Scanning single-mode fiber optic catheter- endoscope for optical coherence tomography (vol 21, pg 543, 1996)." Optics Letters 21(12): 912-912.
			Tearney, G. J., B. E. Bouma, et al. (1996). "Rapid acquisition of in vivo biological images by use of optical coherence tomography." Optics Letters 21(17): 1408-1410.
			Tearney, G. J., B. E. Bouma, et al. (1997). "In vivo endoscopic optical biopsy with optical coherence tomography." Science 276(5321): 2037-2039.
			Tearney, G. J., M. E. Brezinski, et al. (1996). "Catheter-based optical imaging of a human coronary artery." Circulation 94(11): 3013-3013.
			Tearney, G. J., M. E. Brezinski, et al. (1997). "In vivo endoscopic optical biopsy with optical coherence tomography." Science 276(5321): 2037-9.
			Tearney, G. J., M. E. Brezinski, et al. (1997). "Optical biopsy in human gastrointestinal tissue using optical coherence tomography." American Journal of Gastroenterology 92(10): 1800-1804.
			Tearney, G. J., M. E. Brezinski, et al. (1995). "Determination of the refractive index of highly scattering human tissue by optical coherence tomography." Optics Letters 20(21): 2258-2260.
			Tearney, G. J., I. K. Jang, et al. (2000). "Porcine coronary imaging in vivo by optical coherence tomography." Acta Cardiologica 55(4): 233-237.
RSS			Tearney, G. J., R. H. Webb, et al. (1998). "Spectrally encoded confocal microscopy." Optics Letters 23(15): 1152-1154.

Examiner	Date Considered
	06/13/2006

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce (REV. 2-82) Patent and Trademark Office	Atty. Docket No.	Serial No.
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)	186599/US/2 – 475387-00153	10/016,244
	Applicant(s) Guillermo J. Tearney et al.	
	Filing Date October 30, 2001	Group 3737

RSS			Tearney, G. J., H. Yabushita, et al. (2003). "Quantification of macrophage content in atherosclerotic plaques by optical coherence tomography." Circulation 107(1): 113-119.
			Tower, T. T. and R. T. Tranquillo (2001). "Alignment maps of tissues: I. Microscopic elliptical polarimetry." Biophysical Journal 81(5): 2954-2963.
			Tower, T. T. and R. T. Tranquillo (2001). "Alignment maps of tissues: II. Fast harmonic analysis for imaging." Biophysical Journal 81(5): 2964-2971.
			Troy, T. L. and S. N. Thennadil (2001). "Optical properties of human skin in the near infrared wavelength range of 1000 to 2200 nm." Journal of Biomedical Optics 6 (2): 167-176.
			Vabre, L., A. Dubois, et al. (2002). "Thermal-light full-field optical coherence tomography." Optics Letters 27(7): 530-532.
			Vakhtin, A. B., D. J. Kane, et al. (2003). "Common-path interferometer for frequency-domain optical coherence tomography." Applied Optics 42(34): 6953-6958.
			Vakhtin, A. B., K. A. Peterson, et al. (2003). "Differential spectral interferometry: an imaging technique for biomedical applications." Optics Letters 28(15): 1332-1334.
			Vakoc, B. J., S. H. Yun, et al. (2005). "Phase-resolved optical frequency domain imaging." Optics Express 13(14): 5483-5493.
			van Leeuwen, T. G., M. D. Kulkarni, et al. (1999). "High-flow-velocity and shear-rate imaging by use of color Doppler optical coherence tomography." Optics Letters 24(22): 1584-1586.
			Vansteenkiste, N., P. Vignolo, et al. (1993). "Optical Reversibility Theorems for Polarization - Application to Remote-Control of Polarization." Journal of the Optical Society of America a-Optics Image Science and Vision 10(10): 2240-2245.
			Vargas, O., E. K. Chan, et al. (1999). "Use of an agent to reduce scattering in skin." Lasers in Surgery and Medicine 24(2): 133-141.
RSS			Wang, R. K. (1999). "Resolution improved optical coherence-gated tomography for imaging through biological tissues." Journal of Modern Optics 46(13): 1905-1912.

Examiner	Date Considered
	06/13/2006

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce (REV. 2-82) Patent and Trademark Office	Atty. Docket No.	Serial No.
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)	186599/US/2 – 475387-00153	10/016,244
	Applicant(s) Guillermo J. Tearney et al.	
	Filing Date October 30, 2001	Group 3737

RSS			Wang, X. J., T. E. Milner, et al. (1997). "Measurement of fluid-flow-velocity profile in turbid media by the use of optical Doppler tomography." Applied Optics 36(1): 144-149.
			Wang, X. J., T. E. Milner, et al. (1995). "Characterization of Fluid-Flow Velocity by Optical Doppler Tomography." Optics Letters 20(11): 1337-1339.
			Wang, Y. M., J. S. Nelson, et al. (2003). "Optimal wavelength for ultrahigh-resolution optical coherence tomography." Optics Express 11(12): 1411-1417.
			Wang, Y. M., Y. H. Zhao, et al. (2003). "Ultrahigh-resolution optical coherence tomography by broadband continuum generation from a photonic crystal fiber." Optics Letters 28(3): 182-184.
			Watkins, L. R., S. M. Tan, et al. (1999). "Determination of interferometer phase distributions by use of wavelets." Optics Letters 24(13): 905-907.
			Wetzel, J. (2001). "Optical coherence tomography in dermatology: a review." Skin Research and Technology 7(1): 1-9.
			Wentworth, R. H. (1989). "Theoretical Noise Performance of Coherence-Multiplexed Interferometric Sensors." Journal of Lightwave Technology 7(6): 941-956.
			Westphal, V., A. M. Rollins, et al. (2002). "Correction of geometric and refractive image distortions in optical coherence tomography applying Fermat's principle." Optics Express 10(9): 397-404.
			Westphal, V., S. Yazdanfar, et al. (2002). "Real-time, high velocity-resolution color Doppler optical coherence tomography." Optics Letters 27(1): 34-36.
			Williams, P. A. (1999). "Rotating-wave-plate Stokes polarimeter for differential group delay measurements of polarization-mode dispersion." Applied Optics 38(31): 6508-6515.
RSS			Wojtkowski, M., T. Bajraszewski, et al. (2003). "Real-time in vivo imaging by high-speed spectral optical coherence tomography." Optics Letters 28(19): 1745-1747.

Examiner	Date Considered
	06/13/2006

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce (REV. 2-82) Patent and Trademark Office	Atty. Docket No.	Serial No.
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)	186599/US/2 – 475387-00153	10/016,244
	Applicant(s) Guillermo J. Tearney et al.	
	Filing Date October 30, 2001	Group 3737

RSS			Wojtkowski, M., A. Kowalczyk, et al. (2002). "Full range complex spectral optical coherence tomography technique in eye imaging." Optics Letters 27(16): 1415-1417.
			Wojtkowski, M., R. Leitgeb, et al. (2002). "In vivo human retinal imaging by Fourier domain optical coherence tomography." Journal of Biomedical Optics 7(3): 457-463.
			Wojtkowski, M., R. Leitgeb, et al. (2002). "Fourier domain OCT imaging of the human eye in vivo." Proc. SPIE 4619: 230-236.
			Wojtkowski, M., V. J. Srinivasan, et al. (2004). "Ultrahigh-resolution, high-speed, Fourier domain optical coherence tomography and methods for dispersion compensation." Optics Express 12(11): 2404-2422.
			Wong, B. J. F., Y. H. Zhao, et al. (2004). "Imaging the internal structure of the rat cochlea using optical coherence tomography at 0.827 mu m and 1.3 mu m." Otolaryngology-Head and Neck Surgery 130(3): 334-338.
			Yabushita, H. B., B.E.; Houser, S.L.; Aretz, H.T.; Jang, I.; Schlendorf, K.H.; Kauffman, C.R.; Shishkov, M.; Halpern, E.F.; Tearney, G.J. "Measurement of Thin Fibrous Caps in Atherosclerotic Plaques by Optical Coherence Tomography."
			Yang, C., A. Wax, et al. (2001). "Phase-dispersion optical tomography." Optics Letters 26(10): 686-688.
			Yang, C., A. Wax, et al. (2001). "Phase-referenced interferometer with subwavelength and subhertz sensitivity applied to the study of cell membrane dynamics." Optics Letters 26(16): 1271-1273.
			Yang, C. H., A. Wax, et al. (2001). "Phase-dispersion optical tomography." Optics Letters 26(10): 686-688.
			Yang, C. H., A. Wax, et al. (2000). "Interferometric phase-dispersion microscopy." Optics Letters 25(20): 1526-1528.
RSS			Yang, V. X. D., M. L. Gordon, et al. (2002). "Improved phase-resolved optical Doppler tomography using the Kasai velocity estimator and histogram segmentation." Optics Communications 208(4-6): 209-214.

Examiner	Date Considered
	06/13/2006

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce (REV. 2-82) Patent and Trademark Office	Atty. Docket No.	Serial No.
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)	186599/US/2 – 475387-00153	10/016,244
	Applicant(s) Guillermo J. Tearney et al.	
	Filing Date October 30, 2001	Group 3737

RSS			Yang, V. X. D., M. L. Gordon, et al. (2003). "High speed, wide velocity dynamic range Doppler optical coherence tomography (Part I): System design, signal processing, and performance." Optics Express 11(7): 794-809.
			Yang, V. X. D., M. L. Gordon, et al. (2003). "High speed, wide velocity dynamic range Doppler optical coherence tomography (Part II): Imaging in vivo cardiac dynamics of Xenopus laevis." Optics Express 11(14): 1650-1658.
			Yang, V. X. D., M. L. Gordon, et al. (2003). "High speed, wide velocity dynamic range Doppler optical coherence tomography (Part III): in vivo endoscopic imaging of blood flow in the rat and human gastrointestinal tracts." Optics Express 11(19): 2416-2424.
			Yang, V. X. D., B. Qi, et al. (2003). "In vivo feasibility of endoscopic catheter-based Doppler optical coherence tomography." Gastroenterology 124(4): A49-A50.
			Yao, G. and L. H. V. Wang (2000). "Theoretical and experimental studies of ultrasound-modulated optical tomography in biological tissue." Applied Optics 39(4): 659-664.
			Yazdanfar, S. and J. A. Izatt (2002). "Self-referenced Doppler optical coherence tomography." Optics Letters 27(23): 2085-2087.
			Yazdanfar, S., M. D. Kulkarni, et al. (1997). "High resolution imaging of in vivo cardiac dynamics using color Doppler optical coherence tomography." Optics Express 1 (13) : 424-431.
			Yazdanfar, S., A. M. Rollins, et al. (2000). "Imaging and velocimetry of the human retinal circulation with color Doppler optical coherence tomography." Optics Letters 25(19): 1448-1450.
			Yazdanfar, S., A. M. Rollins, et al. (2000). "Noninvasive imaging and velocimetry of human retinal blood flow using color Doppler optical coherence tomography." Investigative Ophthalmology & Visual Science 41(4): S548-S548.
			Yazdanfar, S., A. M. Rollins, et al. (2003). "In vivo imaging of human retinal flow dynamics by color Doppler optical coherence tomography." Archives of Ophthalmology 121(2): 235-239.
RSS			Yazdanfar, S., C. H. Yang, et al. (2005). "Frequency estimation precision in Doppler optical coherence tomography using the Cramer-Rao lower bound." Optics Express 13(2): 410-416.

Examiner	Date Considered
	06/13/2006

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce (REV. 2-82) Patent and Trademark Office	Atty. Docket No.	Serial No.
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)	186599/US/2 – 475387-00153	10/016,244
	Applicant(s) Guillermo J. Tearney et al.	
	Filing Date October 30, 2001	Group 3737

RSS			Yun, S. H., C. Boudoux, et al. (2004). "Extended-cavity semiconductor wavelength- swept laser for biomedical imaging." Ieee Photonics Technology Letters 16(1): 293-295.
			Yun, S. H., C. Boudoux, et al. (2003). "High-speed wavelength-swept semiconductor laser with a polygon-scanner-based wavelength filter." Optics Letters 28(20): 1981-1983.
			Yun, S. H., G. J. Tearney, et al. (2004). "Pulsed-source and swept-source spectral- domain optical coherence tomography with reduced motion artifacts." Optics Express 12(23): 5614-5624.
			Yun, S. H., G. J. Tearney, et al. (2004). "Removing the depth-degeneracy in optical frequency domain imaging with frequency shifting." Optics Express 12(20): 4822-4828.
			Yun, S. H., G. J. Tearney, et al. (2004). "Motion artifacts in optical coherence tomography with frequency-domain ranging." Optics Express 12(13): 2977-2998.
			Zhang, J., J. S. Nelson, et al. (2005). "Removal of a mirror image and enhancement of the signal-to-noise ratio in Fourier-domain optical coherence tomography using an electro-optic phase modulator." Optics Letters 30(2): 147-149.
			Zhang, Y., M. Sato, et al. (2001). "Numerical investigations of optimal synthesis of several low coherence sources for resolution improvement." Optics Communications 192(3-6): 183-192.
			Zhang, Y., M. Sato, et al. (2001). "Resolution improvement in optical coherence tomography by optimal synthesis of light-emitting diodes." Optics Letters 26(4): 205-207.
			Zhao, Y., Z. Chen, et al. (2002). "Real-time phase-resolved functional optical coherence tomography by use of optical Hilbert transformation." Optics Letters 27(2): 98-100.
			Zhao, Y. H., Z. P. Chen, et al. (2000). "Doppler standard deviation imaging for clinical monitoring of in vivo human skin blood flow." Optics Letters 25(18): 1358-1360.
RSS			Zhao, Y. H., Z. P. Chen, et al. (2000). "Phase-resolved optical coherence tomography and optical Doppler tomography for imaging blood flow in human skin with fast scanning speed and high velocity sensitivity." Optics Letters 25(2): 114-116.

Examiner	Date Considered
	06/13/2006

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce (REV. 2-82) Patent and Trademark Office	Atty. Docket No.	Serial No.
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)	186599/US/2 – 475387-00153	10/016,244
	Applicant(s) Guillermo J. Tearney et al.	
	Filing Date October 30, 2001	Group 3737

RSS			Zhou, D., P. R. Prucnal, et al. (1998). "A widely tunable narrow linewidth semiconductor fiber ring laser." IEEE Photonics Technology Letters 10(6): 781-783.
			Zuluaga, A. F. and R. Richards-Kortum (1999). "Spatially resolved spectral interferometry for determination of subsurface structure." Optics Letters 24(8): 519-521.
			Zvyagin, A. V., J. B. FitzGerald, et al. (2000). "Real-time detection technique for Doppler optical coherence tomography." Optics Letters 25(22): 1645-1647.
			Marc Nikles et al., "Brillouin gain spectrum characterization in single-mode optical fibers", Journal of Lightwave Technology 1997, 15 (10): 1842-1851.
			Tsuyoshi Sonehara et al., "Forced Brillouin Spectroscopy Using Frequency-Tunable Continuous-Wave Lasers", Physical Review Letters 1995, 75 (23): 4234-4237.
			Hajime Tanaka et al., "New Method of Superheterodyne Light Beating Spectroscopy for Brillouin-Scattering Using Frequency-Tunable Lasers", Physical Review Letters 1995, 74 (9): 1609-1612.
			Webb RH et al. "Confocal Scanning Laser Ophthalmoscope", Applied Optics 1987, 26 (8): 1492-1499.
			Andreas Zumbusch et al. "Three-dimensional vibrational imaging by coherent anti-Stokes Raman scattering", Physical Review Letters 1999, 82 (20): 4142-4145.
			Katrin Kneipp et al., " Single molecule detection using surface-enhanced Raman scattering (SERS)", Physical Review Letters 1997, 78 (9): 1667-1670.
RSS			K.J. Koski et al., "Brillouin imaging" Applied Physics Letters 87, 2005.

4831-7705-9840\1

Examiner	Date Considered
/Ruth S. Smith/	06/13/2006

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.